

RODEX



rodexpower.com



rodextools





RODEX

Rodex Power is the international brand specialized in different kinds of tools including power tools, air tools, wood working tools, metal working tools, cutting tools, industrial tools, garden tools, agriculture tools, and accessories for over 20 years with the premium quality collection of the tools which make Rodex Power as the unique tools brand in the world on the basis of Variety and Quality.

For Rodex Power , quality means products that are designed to provide more benefits and comfort to professional users; improved productivity and efficiency, time saving, reduced effort and simplicity of operation.

Rodex Power continues to invest its resources in advanced R&D, High – end technologies and compatible human resources, to develop more efficient Tools with high variety that meet the tomorrow's needs of the users.

Rodex Power tries to get the satisfaction of all users by providing Premium Quality products and services in the field of power tools, air tools, wood working tools, metal working tools, cutting tools, industrial tools, garden tools, agriculture tools... and also providing an appropriate combination of price, quality, satisfying services and fast delivery.



INDEX OF PRODUCTS



ONE BATTERY FOR ALL TOOLS.

In the **ONE FOR ALL** 20V system, a single battery works for all tools. Simply insert the **20V ONE FOR ALL** battery into the tool and you can start using it immediately. Thanks to the exchangeable battery, the running time is extended with just one movement. It couldn't be simpler or more flexible.

4-19



CORDLESS DRILLS
CORDLESS SCREWDRIVERS

21-23




ELECTRIC DRILLS

24




IMPACT DRILLS
HAMMER DRILLS
BENCH DRILLS
IMPACT WRENCH
CORE DRILLING MACHINES

24-30



ANGLE GRINDERS
MINI GRINDERS
POLISHERS
CUT OFF MACHINE

32-39



BENCH GRINDERS

40-41






TABLE SAW
MITRE SAWS
CIRCULAR SAWS
MARBLE CUTTER
RECIPROCATING SAW
WALL CHASER
JIG SAW

43-49




ELECTRIC PLANERS
SANDERS
ELECTRIC ROUTERS
HAND MIXERS

50-52



CONCRETE VIBRATORS
FLEXIBLE SHAFTS FOR VIBRATORS

53



INDUSTRIAL VACUUM CLEANERS









54-55



ELECTRIC AIR HEATERS
GAS FORCED HEATERS
DIESEL FORCED HEATERS
HOT AIR GUNS
AIR BLOWERS

57-61

INDEX OF PRODUCTS


	ELECTRIC CHAIN HOISTS 62-63		BATTERY CHARGERS INVERTER DC WELDING MACHINES DC MIG-MMA INVERTER WELDING MACHINES INVERTER PLASMA CUTTING MACHINES 65-69
	AIR COMPRESSORS AIR IMPACT WRENCH AIR NAIL GUNS AIR STAPLER GUNS 71-74		GASOLINE GENERATORS DIESEL GENERATORS 76-82
	GASOLINE TILLER DIESEL TILLER GASOLINE GROUND DRILL 83-86		HIGH PRESSURE WASHERS 88-90
	GASOLINE WATER PUMPS DIESEL WATER PUMPS 92-93		SUBMERSIBLE PUMPS SURFACE TYPE WATER PUMPS CIRCULATION PUMP PUMP REGULATORS DEEP WELL PUMPS JET PUMPS WITH PRESSURE TANK 94-104
	CORDLESS PUMP SPRAYERS GASOLINE PUMP SPRAYERS GASOLINE HEDGE TRIMMER ELECTRIC HEDGE TRIMMER 105-107		GASOLINE CHAIN SAWS ELECTRIC CHAIN SAWS 108-109
	ELECTRIC LAWN MOWERS GASOLINE LAWN MOWERS 110-111		GASOLINE HEDGE TRIMMER ELECTRIC HEDGE TRIMMER CORDLESS PRUNER GASOLINE GRASS TRIMMER ELECTRIC GRASS TRIMMER 112-119
	SHEEP CLIPERS 120		

RODEX

RED X POWER

BRUSHLESS MOTOR TECHNOLOGY

- | MORE EFFICIENT WORK WITH BRUSHLESS ENERGY.
- | MORE POWER & LONGER RUNNING TIMES
- | LONGER SERVICE LIFE & COMPACT DESIGN



30%
More Power

50%
More
Performance



LITHIUM-ION Technology

**HIGH-PERFORMANCE,
HIGHLY EFFICIENT LITHIUM-ION CELLS**
Up to 4 times longer use compared to the standard batteries

Advantages of Lithium-Ion Batteries:

- Compact and lightweight
- Continuous work for longer periods
- When not in use for a long time: no breakdown and no self-discharge is seen.
- Decrease in capacity is not a risk

You can check the battery level
simply with its LED display.



**RECHARGE FASTER IN A
SHORT TIME**



20V

**MAXIMUM
POWER**



FAST CHARGE

2.0 Ah 3.0 Ah 4.0 Ah 6.0 Ah



RODEX



EFFICIENT AND
QUICK SOLUTION



FREEDOM TO CHOOSE THE
PROPER BATTERY
ACCORDING
TO THE WORK AND
POWER TOOL.



ABILITY TO USE THE
BATTERY YOU WANT
WITH THE PRODUCT
YOU CHOOSE



FREE SWING CAPABILITY
WITH CORDLESS
POWER SYSTEM

ONE BATTERY

20V SYSTEM



FOR ALL TOOLS

RED X
POWER



RPX2340F

Cordless Brushless Impact Drill



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500 / 0-1800 rpm
Impact	0-28800 bpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg

RPX2340

Cordless Brushless Impact Drill



Motor	BRUSHLESS
Speed	0-500 / 0-1800 rpm
Impact	0-28800 bpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg

RPX2330F

Cordless Brushless Drill



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500/0-1800 rpm
Torque Adjust	19+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg

RPX2330

Cordless Brushless Drill




Motor	BRUSHLESS
Speed	0-500/0-1800 rpm
Torque Adjust	19+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg

RPX2320F

Cordless Impact Drill

20V
HIGH POWER
TECHNOLOGY



Battery	20V-2.0Ah Li-ion Double Battery	2X BATTERY & CHARGER PACK
Speed	0-500 / 0-1800 rpm	
Impact	0-19200 bpm	
Torque Adjust	19+1+1+1	
Max. Torque	50 NM	
Chuck	13 MM Keyless Metal	
Pcs.	5	
Net Weight	? Kg	

RPX2320

Cordless Impact Drill

20V
HIGH POWER
TECHNOLOGY




Speed	0-500 / 0-1800 rpm	
Impact	0-19200 bpm	
Torque Adjust	19+1+1+1	
Max. Torque	50 NM	
Chuck	13 MM Keyless Metal	
Pcs.	5	
Net Weight	2,8 Kg	

RPX2310F

Cordless Drill

20V
HIGH POWER
TECHNOLOGY




Battery	20V-2.0Ah Li-ion Double Battery	2X BATTERY & CHARGER PACK
Speed	0-500 / 0-1800 rpm	
Torque Adjust	20+1+1+1	
Max. Torque	50 NM	
Chuck	13 MM Keyless Metal	
Pcs.	5	
Net Weight	? Kg	

RPX2310

Cordless Drill

20V
HIGH POWER
TECHNOLOGY




Speed	0-500 / 0-1800 rpm	
Torque Adjust	20+1+1+1	
Max. Torque	50 NM	
Chuck	13 MM Keyless Metal	
Pcs.	5	
Net Weight	2,8 Kg	

RPX2708F

Cordless Multi Tools



20V
HIGH POWER
TECHNOLOGY



RPX2708

Cordless Multi Tools

20V
HIGH POWER
TECHNOLOGY



Drill Head	Gears : 2 Speed : 0-350/0-1200 RPM Impact: 0-5250/0-18000 BPM Max. Torque: 28NM
Impact Driver Head	Impact Power: 0-3000 BPM Max. Torque:180N.m Chuck Capacity:1/4"
Jig Saw Head	Stroke length 13MM Speed: 2300 RPM
Circular Saw Head	Speed: 3400 RPM Saw Dia: 85MM
Multi Function Tool Head	Oscillation Angle : 2.8° No Load Speed : 16000 RPM
Router Head	Milling cutter: 6.35MM Speed: 6000 RPM
Sander Head	Speed : 0-9000 RPM Pad Size: 150x150x95mm
Pcs.	2
Net Weight	5,9 Kg



RPX2375


Cordless Rotary Hammer



Motor	BRUSHLESS
Speed	0-1400 rpm
Impact	0-4500 bpm
Impact Power	1.7 Jull
Drilling Capacity	Steel : Ø13mm Concrete : Ø22mm Wood : Ø28mm
Pcs.	2
Net Weight	4.2 Kg

RPX2377


Cordless Rotary Hammer



Speed	0-1150 rpm
Impact	0-5100 bpm
Impact Power	2.8 Jull
Drilling Capacity	Steel : Ø13mm Concrete : Ø26mm Wood : Ø40mm
Pcs.	...
Net Weight	... Kg

RPX2370

Cordless Rotary Hammer



Speed	0-300 / 0-1000 rpm
Impact	0-5000 bpm
Impact Power	1.2 Jull
Drilling Capacity	Steel : Ø10mm Concrete : Ø20mm Wood : Ø20mm
Pcs.	2
Net Weight	4,2 Kg

RPX2150

Cordless Angle Grinder

20VHIGH POWER
TECHNOLOGY

Soft Start



Power Off Protection



Spindle Lock



Three Position Handle



Tool Bag Gift



Metal Cutting Disc Gift

Disc Diameter

115 mm

Speed

8000 rpm

Spindle Thread

M14

Pcs.

4

Net Weight

3,3 Kg

RPX2155

Cordless Angle Grinder

20VHIGH POWER
TECHNOLOGYBRUSHLESS MOTOR
TECHNOLOGY


Soft Start



Power Off Protection



Spindle Lock



Three Position Handle



Tool Bag Gift



Metal Cutting Disc Gift

Motor

BRUSHLESS

Disc Diameter

125 mm

Speed

8500 rpm

Spindle Thread

M14

Pcs.


4

Net Weight

3,3 Kg

RPX2540

Cordless Circular Saw

20VHIGH POWER
TECHNOLOGYDepth of Cut
90°: 38 mmDepth of Cut
45°: 26 mm

Speed

0-3800 rpm

Disc Diameter

165 mm

Max. Cutting

90°: 38 MM

45°: 26 MM

Pcs.

4

Net Weight

1,12 Kg

RPX2520

Cordless Jigsaw

20VHIGH POWER
TECHNOLOGYCutting Depth
60 mm

Speed Adjustment

Left-Right
Angle CuttingPendulum
Function 5

Speed

0-3000 rpm

Depth of Cut

60 mm

Stroke Length

18 mm

Pcs.

5

Net Weight

1,6 Kg

RPX2410

Cordless Nailer - Stapler

20V
HIGH POWER
TECHNOLOGY

Speed	60 nails/min
Magazine Capacity	80 nails
Stapler Size	15-25mm
Nail Size	15-20-25-30-32 mm
Pcs.	5
Net Weight	2,6 Kg

RPX2620


Cordless Grass-Hedge Trimmermer

20V
HIGH POWER
TECHNOLOGY

Speed	1200 rpm
Cutting Thickness	7.6 mm
Sher Blade Size	92 mm
Hedge Trimmer Blade Size (Double sided)	199 mm
Pcs.	4
Net Weight	1,97 Kg

RPX2415

Cordless Nailer - Stapler

20V
HIGH POWER
TECHNOLOGY

Speed	90 nails/min
Magazine Capacity	100 pcs
Stapler Size	10-13-16-19-22-25-28-32-36-40 mm
Nail Size	15-20-25-30-32-38-40-45-50 mm
Pcs.	4
Net Weight	2,97 Kg

RPX2630

Cordless Brushless Pruner

20V
HIGH POWER
TECHNOLOGYBRUSHLESS MOTOR
TECHNOLOGY

Motor	BRUSHLESS
Speed	20000 SPM
Half - Max cutting	25-33 mm
Blade length	92 mm
Cutting Forced	55 N.M.
Pcs.	10
Net Weight	1,85 Kg

RPX2270

Cordless Polishing Machine

20V

HIGH POWER
TECHNOLOGY



Disc Diameter
250 mm



Constant
Speed Control

Disc Diameter

250 mm

Speed

2500 rpm

Pcs.

2

Net Weight

2 Kg

RPX2615


Cordless Hot Air Gun

20V

HIGH POWER
TECHNOLOGY



Accessories



550°C
350°C



200 L/MIN



Temperature

350° / 550°C

Speed

200 L/MIN

Pcs.

10

Net Weight

0,7 Kg

RPX2610


Cordless Blower 2 in 1

20V

HIGH POWER
TECHNOLOGY



63 mph



Max Speed

63 mph

Vacuity

≥ 4,5 kpa

Pcs.

2

Net Weight

2 Kg

RPX2550

Cordless Mini Chain Saw

20V

HIGH POWER
TECHNOLOGY



Speed

3200RPM

No Load Chain Speed

4.7 m/s

Cutting Length

156MM

Max. Cutting Depth

110MM

Pcs.

4

Net Weight

2,3 Kg



RPX8500

Cordless Water Pump

20V

HIGH POWER
TECHNOLOGY

2M Inlet Hose



Hose Connector

Power	180W
Max Lift	22M
Max. Suction	9M
In-Out Diameter	1" x 1.5"
Speed	46 L/MIN.
Pcs.	1
Net Weight	3,1 Kg

RPX1015

Cordless Work Light

20V

HIGH POWER
TECHNOLOGYADJUSTABLE
HEADHOOK
USE6200K
Brightness

Total Power	3W
Brightness (Kelvin)	6200K
Pcs.	...
Net Weight Kg

RED X POWER BATTERIES

RPX2020



RPX2030



RPX2040



RPX2060



Voltage

20V

20V

20V

20V

Battery

2.0 Ah Li-ion

3.0 Ah Li-ion

4.0 Ah Li-ion

6.0 Ah Li-ion


LITHIUM-ION
Technology



You can check the battery level
simply with its LED display.

RED X POWER CHARGERS

RPX2070



RPX2080



RPX2090



Voltage

2,4A

4A

2 x 3,5A

2.0 Ah

45 min.

30 min.

35 min.

3.0 Ah

65 min.

45 min.

55 min.

4.0 Ah

100 min.

60 min.

70 min.

6.0 Ah

150 min.

90 min.

105 min.





CHOICE OF PROFESSIONALS



RODEX



CHOICE OF PROFESSIONALS

RDX3365A

Cordless Drill


18.0 Volt

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 18B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook,
- » Carry Case

Accessories Content

Soft pipe 1 pcs 25mm
Sleeve sockets 9 pcs 5mm 6mm 7mm 8mm
9mm 10mm 11mm 12mm 13mm
Long connecting rod 1 pcs 50mm
Short connecting rod 1 pcs
Screw bit 1 pcs 50mm
Wood flat drill 3 pcs 10mm 12mm 14mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Wood drill bit 3 pcs 5mm 6mm 8mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Cement drill bit 3 pcs 5mm 6mm 8mm

Power	18 V / 2.0A Li-ion
Torque	30 NM
Chuck	10 mm
Speed	0-350 / 0-1350RP
Net Weight	3,5 Kg
Pcs	5



28 PCS. ACCESSORIES

RDX3375A

Cordless Drill

21.0 Volt 

28 PCS. ACCESSORIES




- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 21B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook
- » Carry Case

Accessories Content

Soft pipe 1 pcs 25mm
Sleeve sockets 9 pcs 5mm 6mm 7mm 8mm
9mm 10mm 11mm 12mm 13mm
Long connecting rod 1 pcs 50mm
Short connecting rod 1 pcs
Screw bit 1 pcs 50mm
Wood flat drill 3 pcs 10mm 12mm 14mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Wood drill bit 3 pcs 5mm 6mm 8mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Cement drill bit 3 pcs 5mm 6mm 8mm

Power	21 V / 2.0A Li-ion
Torque	35 NM
Chuck	10 mm
Speed	0-350 / 0-1350RP
Net Weight	3,5 Kg
Pcs	5



**RDX3321****Cordless Drill****12.0 Volt**

Power	12 V / 1.5A Li-ion
Torque	25 NM
Chuck	10 mm
Speed	0-350 / 0-1350 RPM
Net Weight	1.7 Kg
Pcs	10



**RDX308****Cordless Screwdriver****3.6 Volt**

Power	3.6V / 1.5A Li-ion
Torque	4 NM
Speed	0-210 RPM
Net Weight	1.7 Kg
Pcs	8

**RDX3320****Cordless Drill****12.0 Volt**

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2x 12V - 1,5 Ah LI-ION LI-ION BATTERIES
- » Left-Right Rotation

Power	12 V / 1.5A Li-ion
Torque	25 NM
Chuck	10 mm
Speed	0-350 / 0-1350 RPM
Net Weight	1.7 Kg
Pcs	10

RDX3085**Cordless Screwdriver****3.6 Volt**

Power	3.6V / 1.5A Li-ion
Torque	2.5 NM
Speed	180 RPM
Charging Time	60 min.
Net Weight	0,65 Kg
Pcs	20



CHOICE OF PROFESSIONALS

RDX1510

Electric Drill

500 Watt 



- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Belt Hook

Power 500 W

Drilling Capacity Steel: 10 MM Wood: 25MM

Speed 0-3200 RPM

Net Weight 1.56 Kg

Pcs 10

RDX1504

Electric Drill

450 Watt 



- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Belt Hook

Power 450 W

Drilling Capacity Steel: 10 MM Wood: 25MM

Speed 0-2600 RPM

Net Weight 1.28 Kg

Pcs 10

RDX153

Electric Drill

280 Watt 



- » Automatic Chuck
- » Torq Adjustment
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right

Power 280 W

Drilling Capacity 10 MM

Speed 0-750 RPM

Net Weight 1,42 Kg

Pcs 10

RDX1522

Impact Drill

650 Watt 



- » Manual Chuck (Metal)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power 650 W

Drilling Capacity Steel: 13 MM / Wood: 35MM

Speed 0-3300 RPM


Net Weight 1.8 Kg

Pcs 10

**RDX1520****Impact Drill****650** Watt 

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power	650 W
Drilling Capacity	Steel: 13 MM / Wood: 35MM
Speed	0-3000 RPM
Net Weight	1.8 Kg
Pcs	10

RDX1520A**Impact Drill****650** Watt 

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power	850 W
Drilling Capacity	Steel: 13 MM / Wood: 35MM
Speed	0-2700 RPM
Net Weight	2,0 Kg
Pcs	10


RDX1520A**Impact Drill****650** Watt 

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case

Power	650 W
Drilling Capacity	Steel: 13 MM / Wood: 35MM
Speed	0-3000 RPM
Net Weight	1.8 Kg
Pcs	10

19 PIECES

- Depthometer x1
- Insulating Tape x1
- Screw Box x1
- Cement Drill Bits x3
- Twist Drill Bits x3
- Knife x1
- Screw Bits Set x6
- Machine x1
- Side Handle x1
- BMC x1

RDX1550**Impact Drill****850** Watt 

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power	850 W
Drilling Capacity	Steel: 13 MM / Wood: 35MM
Speed	0-2700 RPM
Net Weight	2,0 Kg
Pcs	10

RDX1551**Impact Drill****850** Watt 

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

- » Depthometer x1
- » Insulating Tape x1
- » Socket Sets x8
- » Screw Box x1
- » Cement Drill Bits x3
- » Twist Drill Bits x3
- » Knife x1
- » Screw Bits Set x6
- » Machine x1
- » Side Handle x1
- » BMC x1

Power	850 W
Drilling Capacity	Steel: 13 MM / Wood: 35MM
Speed	0-2700 RPM
Net Weight	3,6 Kg
Pcs	5





CHOICE OF PROFESSIONALS

RDX1570

Impact Drill

750 Watt ↗



- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power 750 W

Drilling Capacity Steel: 13 MM / Wood: 35MM

Speed 0-2700 RPM

Net Weight 2,0 Kg

Pcs 10

RDX1651

Impact Drill (with gearbox)

1050 Watt ↗



- » Manual Chuck (Metal)
- » Speed Adjustment
- » Gearbox System
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Comfortable grip and control



Power 1050 W

Drilling Capacity Concrete: 13-20mm
Wood: 25-40mm
Steel: 8-13mm

Speed 0-1200 / 0-3200 rpm

Pcs. 3,3 Kg

Net Weight 4

RDX1572

Impact Drill

750 Watt ↗



- » Manual Chuck (Metal)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power 750 W

Drilling Capacity Steel: 13 MM / Wood: 35MM

Speed 0-2700 RPM

Net Weight 2,0 Kg

Pcs 10

RDX2265

Rotary Hammer Drill

800 Watt ↗



- » Chuck type (SDS PLUS)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case



Power 800 W

Drilling Capacity Concrete: 26mm
Wood: 30mm
Steel: 13mm


Impact Power 3 Jull

Impact Speed 0-4900 bpm

Speed 0-900 rpm

Pcs. 6,06 Kg

Net Weight 5



**RDX227****Rotary Hammer Drill****850** Watt 

- » Chuck type (SDS PLUS)
- » Tool transmission housing reinforced with magnesium alloy
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case



Power 850 Watt

Drilling Capacity
Concrete: 26mm
Wood: 30mm
Steel: 13mm

Impact Power 3.4 Jull

Impact Speed 0-5100 bpm

Speed 0-1300 rpm

Pcs. 6,04 Kg

Net Weight 5

**RDX226****Rotary Hammer Drill****800** Watt 

- » Chuck type (SDS PLUS)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case



Power 800 Watt

Drilling Capacity
Concrete: 26mm
Wood: 30mm
Steel: 13mm

Impact Power 3 Jull

Impact Speed 0-5500 bpm

Speed 0-1100 rpm

Pcs. 5,5 Kg

Net Weight 5

RDX2267**Перфоратор****1050** Watt 

- » Chuck type (SDS PLUS)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case



Power 1050 Watt

Drilling Capacity
Concrete: 26mm
Wood: 42mm
Steel: 13mm


Impact Power 3 Jull

Impact Speed 0-5100 bpm

Speed 0-1150 rpm

Pcs. 5,18 Kg

Net Weight 4

**RDX231****Rotary Hammer Drill****1300** Watt 

- » Chuck type (SDS PLUS)
- » Anti vibration
- » Carry Case



Power 1300 Watt

Drilling Capacity
Concrete: 30mm
Wood: 42mm
Steel: 13mm

Impact Power 5 Jull

Impact Speed 4300 bpm

Speed 850 rpm

Pcs. 7 Kg

Net Weight 2



CHOICE OF PROFESSIONALS



RDX234 Rotary Hammer Drill

1500 Watt



- » Chuck type (SDS PLUS)
- » Anti vibration
- » Carry Case

Power	1500 Watt
Drilling Capacity	Concrete: 32mm Wood: 42mm Steel: 13mm
Impact Power	5,5 Jull
Impact Speed	4350 bpm
Speed	0-880 rpm
Pcs.	7,25 Kg
Net Weight	2



RDX2402 Rotary Hammer Drill

1600 Watt




- » Chuck type (SDS MAX)
- » Anti vibration
- » Tool transmission housing reinforced with magnesium alloy
- » Carry Case



Power	1600 Watt
Drilling Capacity	Concrete: 30mm Wood: 40mm Steel: 13mm
Impact Power	10 Jull
Impact Speed	3800 bpm
Speed	630 rpm
Pcs.	11 Kg
Net Weight	2

RDX271 Rotary Hammer Drill

1600 Watt



Power	1600 Watt
Drilling Capacity	Wood: 50mm
Impact Power	25 Jull
Impact Speed	2300 bpm
Speed	380 rpm
Pcs.	11,5 Kg
Net Weight	1

**RDX616****Bench Drill****550 Watt**

- 12 Stage Drilling Speed
- 550 Watt Powerful Engine
- 16 MM Drilling Capacity
- 700 MM Vertical Middle Panel Movement,
- 36 MM Column Diameter, Profile Fixing,
- Perforated Middle Panel
- 290 * 190 Mm Base With Mounting Hole
- Dimensions: 30x100x65
- Copper Winding Motor



Power	550 W
Drilling Capacity	16 MM
Drilling Speed	12 Speed Stage
Speed	210-2220 RPM
Net Weight	37,09 Kg
Pcs	1

**RDX613****Bench Drill****350 Watt**

- 5 Stage Drilling Speed
- 350 Watt Powerful Engine
- 13 MM Drilling Capacity
- Profile Fixing,
- Perforated Middle Panel
- Base With Mounting Hole
- Dimensions: 20x60x40
- Copper Winding Motor



Power	350 W
Drilling Capacity	13 MM
Drilling Speed	5 Speed Stage
Speed	620-2620 RPM
Net Weight	16,8 Kg
Pcs	1

**RDX309****1/2" Electric Impact Wrench****1010 Watt**

Power	1010 W
Torque	450 NM
Speed	2200 RPM
Driver Size	1/2"
Net Weight	5,2 Kg
Pcs	4



» 450NM Torque

- » Strong Body Metal
- » Left-Right Rotation
- » Quick Bit Replacement
- » Carry Case

Socket Set Included



17-19-21-22 MM



RDX6830

Core Drilling Machines

2450 Watt



2450 Watt super powerful engine operates lots of difficult drilling works easily thanks to its powerful engine.

2 Manual speed adjustment.

Water support for making drilling easier.

The base is made of aluminum alloy, the steel column can be tilted up to 45°, and the engine mount is fixed on a saddle that slides on a Teflon guide that guarantees high performance.

Easy carriage with wheel system.



Power 2450 W

Max. Drilling Capacity 255 MM

Drilling Depth 690 MM

Speed 500 - 920 RPM

Net Weight 39 Kg

Pcs 1

RDX6825

Core Drilling Machines

2450 Watt



- » Powerful engine
- » Water support
- » Long service life.



Power 2450 W

Max. Drilling Capacity 255 MM

Drilling Depth 650 MM

Speed 500 - 920 RPM

Net Weight 25 Kg

Pcs 1


Core Drilling Bits



CODE	DIA.	LENGTH	PCS
RDY6853	53 MM	500 MM	20
RDY6863	63 MM	500 MM	15
RDY6871	71 MM	500 MM	9
RDY6883	83 MM	500 MM	9
RDY68102	102 MM	500 MM	6
RDY68112	112 MM	500 MM	4
RDY68127	127 MM	500 MM	4
RDY68152	152 MM	500 MM	4



CHOICE OF PROFESSIONALS



RODEX



CHOICE OF PROFESSIONALS

RDX1031


Angle Grinder

600 Watt 



- » Fast cutting with 600 watt powerful engine
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment
- » Power off Protection

Power	600 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125
Speed	11000
Net Weight	2,5 Kg
Pcs	10



RDX1040


Angle Grinder

750 Watt 



- » Fast cutting with 750 watt powerful engine
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment
- » Power off Protection

Power	750 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight	1,9 Kg
Pcs	10



RDX1041


Angle Grinder

750 Watt 



- » Fast cutting with 750 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment
- » Power off Protection

Power	750 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 mm
Speed	0-1100 rpm
Net Weight	2,5 Kg
Pcs	10



RDX1045

Angle Grinder

950 Watt 



- » Fast cutting with 950 watt powerful engine
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	950 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight Kg
Pcs	10





RDX1046

Angle Grinder

950 Watt 



- » Fast cutting with 950 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Cutting Disc for Metal included



Power	950 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	0-11000 RPM
Net Weight Kg
Pcs	10

RDX108

Angle Grinder

750 Watt 



- » Fast cutting with 750 watt powerful engine
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration

Cutting Disc for Metal included



Power	750 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight	2,4 Kg
Pcs	10

RDX109

Angle Grinder

1020 Watt 



- » Fast cutting with 1020 watt powerful engine
- » Spindle lock for easy disc change
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration

Cutting Disc for Metal included



Power	1020 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight	1,9 Kg
Pcs	10

RDX1112

Angle Grinder

1200 Watt 



AVT
ANTI VIBRATION
TECHNOLOGY

- » Fast cutting with 1200 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Cutting Disc for Metal included



Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	125 MM
Speed	0-11000 RPM
Net Weight	3,2 Kr
Pcs	8



CHOICE OF PROFESSIONALS

RDX1120 Angle Grinder

1200 Watt 



- » Fast cutting with 1200 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	125 MM
Speed	0-10000 RPM
Net Weight	2,75 Kg
Pcs	8



Cutting Disc for Metal included



RDX1151 Angle Grinder

1200 Watt 



- » Fast cutting with 1200 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	150 MM
Speed	0-10000 RPM
Net Weight	2,75 Kg
Pcs	8



RDX1161 Angle Grinder

1300 Watt 



- » Fast cutting with 1300 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	1300 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	0-8000 RPM
Net Weight	3,5 Kg
Pcs	8



RDX1171 Angle Grinder

1500 Watt 



- » Fast cutting with 1500 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	1500 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	0-8000 RPM
Net Weight	4,0 Kg
Pcs	8





RDX1162

Angle Grinder

1400 Watt 



- » 1400 Watt güçlü motor ile kolay kesme ve taşlama
- » Kolay disk değişimi için mil kılıdı
- » Kolay Kömür Değişimi
- » Titreşim azaltıcı sap
- » Operatör konforu için yan tutamak aletin üç tarafına monte edilebilir
- » Anahtarsız muhafaza ayan

Power	1400 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	8000 RPM
Net Weight	4,0 Kg
Pcs	4

RDX1170


Angle Grinder

1500 Watt 



- » Fast cutting with 1500 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle

Cutting Disc for Metal **included**



Power	1500 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	125-150 MM
Speed	1000-9000 RPM
Net Weight	3,6 Kg
Pcs	6



RODEX

CHOICE OF PROFESSIONAL



RDX1181

Büyük Taşlama Makinası

2000 Watt



90 ° ROTATING REAR HANDLE

- » Fast cutting with 2000 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	2000 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	6500 RPM
Net Weight	5,5 Kg
Pcs	2

RDX1290

Angle Grinder

2400 Watt



90 ° ROTATING REAR HANDLE

- » Fast cutting with 2400 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	2400 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6 Kg
Pcs	2

RDX1231

Angle Grinder

2000 Watt



90 ° ROTATING REAR HANDLE

- » Fast cutting with 2000 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	2000 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6 Kg
Pcs	2

RDX1300

Angle Grinder

2600 Watt



- » Fast cutting with 2600 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	2600 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6,5 Kg
Pcs	2



RDX1341

Mini Die Grinder Set

135 Watt 




41 pcs
Accessories



- » Variable speed dial is easy to use. The Variable Speed Adjustment 5 Step Speeds from 10,000 to 32,000 RPM
- » Spindle lock for fast tool changes.
- » Flexible Shaft.
- » Perfect for sanding, polishing, cutting, shaping, drilling, deburring, grinding, cleaning, engraving, trimming etc, and enabling you to achieve different crafting work efficiently.

Power	135 W
Clamping Diameter	0.8 - 3.2 mm
Speed	10000 - 32000 RPM
Net Weight	1,80 Kg
Pcs	10



Connected to the table
telescopic hanger
apparatus

RDX1342

Mini Die Grinder Set

135 Watt 



163 pcs
Accessories



- » Variable speed dial is easy to use. The Variable Speed Adjustment 5 Step Speeds from 10,000 to 32,000 RPM
- » Spindle lock for fast tool changes.
- » Flexible Shaft.
- » 163pcs practical attachments included in the set to meet your various DIY application requirements.
- » Multi-use rotary tool grinder for carving, cutting, grinding, slicing, taring, polishing, punching and many DIY craft and small family projects.

Power	135 W
Clamping Diameter	0.8 - 3.2 mm
Speed	10000 - 32000 RPM
Net Weight	1,80 Kg
Pcs	5





CHOICE OF PROFESSIONALS

RDX1485

Orbital Polisher

950 Watt 



6 VARIABLE SPEED CONTROL



» **EXCELLENT PERFORMANCE** - The RODEX RDX1485 is a 950W dual-action polisher. With powerful motor, this random orbital polisher is perfect for polishing and removing swirls, scratches, and defects from all painted vehicles, reappearing the shine of your car. You can also use it to sand wood or metal, **POWERFUL POLISHER** - Eccentric polisher with 950W power, light body, easy replacement of carbon brushes. Constant power and constant speed function, more stable.

- » VARIABLE SPEED CONTROL - 6-speed control dial allows you to adjust the car polisher speed according to different applications; No load speed: 2000 - 6400 RPM Low speed for waxing and buffing; Medium speed for polishing and cleaning while high speed for removing paint defects and oxidation

Power	950 W
Disc Diameter	150 MM
Orbit	21 MM
Speed	2000 - 6400 RPM
Ağırlık	2,75 Kg
Koli Adeti	4

RDX1491

Polisher

1200 Watt



- » 7 Variable Speed Control
- » Soft Starter System
- » Lock Switch
- » Built-in carbon brush
- » Easy Brush Change
- » Compact & Ergonomic Design

Power	1200 W
Disc Diameter	180 MM
Speed	1000 - 3
Net Weight	3,88 Kg
Pcs	6

RDX147 Polisher

1200 Watt



- » 5 Variable speed regulation, can be adjusted to meet different needs.
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » The design of M14 thread is convenient to install the self adhesive disc.

Power	1200 W
Disc Diameter	180 mm
Speed	600 - 2000
Net Weight	2,68 Kg
Pcs	8





RDX694

Cut Off Machine

2400 Watt 

Power	2400 W
Disc Diameter	355 MM
Depth of Cut	120 MM
Speed	3800 RPM
Net Weight	18,8 Kg
Pcs	1



YouTube



QR

Code



CHOICE OF PROFESSIONALS

RDX4121A

Bench Grinder

180 Watt 




- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	180 W
Stone Size	125x16x12,7 mm
Speed	2950 RPM
Net Weight	4 Kg
Pcs	1

RDX4171A

Bench Grinder

375 Watt 



- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	375 W
Stone Size	175x20x12.7 mm
Speed	2950 RPM
Net Weight	7.5 Kg
Pcs	1

RDX4151A

Bench Grinder

180 Watt 



- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	180 W
Stone Size	150x16x12.7 mm
Speed	2950 RPM
Net Weight	6 Kg
Pcs	1

RDX4201A

Bench Grinder

400 Watt 



- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation


Power	400 W
Stone Size	200x20x16 mm
Speed	2950 RPM
Net Weight	10 Kg
Pcs	1



RDX4201

Bench Grinder

350 Watt 



» EQUIPPED WITH WORK LIGHT

- » **EQON TED WITH WORK LIGHT**
- » **Copper coil to run fast, robust and powerful engine**
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	350 W
Stone Size	150x20x16 mm
Speed	2950 RPM
Net Weight	11,5 Kg
Pcs	1

RDX4151

Bench Grinder

250 Watt 



» EQUIPPED WITH WORK LIGHT

- » Copper coil to run fast, robust and powerful engine
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	250 W
Stone Size	150x20x12,7 mm
Speed	2950 RPM
Net Weight	8 Kg
Pcs	1

RDX4121

Bench Grinder

170 Watt



» EQUIPPED WITH WORK LIGHT

- » Copper coil to run fast, robust and powerful engine
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	170 W
Stone Size	125x16x12.7 mm
Speed	2950 RPM
Net Weight	5 Kg
Pcs	1



CHOICE OF PROFESSIONAL




RODEX



RDX6291

Sliding Compound Miter Saw

2100 Watt 




Power	2100 W
Voltage	230 V
Frequency	50 HZ
Disc Diameter	255 MM
Speed	5000 RPM
Net Weight	15,3 Kg
Pcs	1




BNX629

KBX60ES Sliding Compound Miter Saw

1800 Watt



Power	1800 W
Voltage	230 V
Frequency	50 HZ
Disc Diameter	255 MM
Speed	5000 RPM
Net Weight	17 Kg
Pcs	1





RDX6275

Table Saw

2000 Watt 



- » Our table saw for woodworking works with 5000 rpm to give you the necessary force to cut almost any hardwood. Includes a heavy duty metal table for the necessary balance and stability.
- » This table saw has a rack and pinion bevel control that allows you to make angled cuts from 90° to 45°. Includes a bevel lock lever and handwheel for height adjustment.
- » Quick-release blade guard & riving knife
- » Quick blade elevation adjustment

Power	2000 W
Saw Diameter	250 mm
Depth of Cut 45°	65 mm
Depth of Cut 90°	85 mm
Working table size	583x563mm
Speed	5000 RPM
Net Weight	22 Kg
Pcs	1





CHOICE OF PROFESSIONALS

RDX382

Circular Saw With Laser

1300 Watt



LASER GUIDE FOR STRAIGHT CUT

- » 1800W High Performance motor delivers full-size performance at 5300RPM
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power 1300 W

Saw Diameter 185 MM

Depth of Cut 63 MM

Speed 4500 RPM

Net Weight 4,20 Kg

Pcs 2

RDX384

Circular Saw With Laser

1600 Watt



LASER GUIDE FOR STRAIGHT CUT

- » 1600W High Performance motor delivers full-size performance at 5000RPM
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power 1600 W

Saw Diameter 190 MM

Depth of Cut 65 MM

Speed 5000 RPM

Net Weight 5,5 Kg

Pcs 2

RDX385

Circular Saw

1300 Watt



- » 1800W High Performance motor delivers full-size performance at 5300RPM
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power 1800 W

Saw Diameter 210 MM

Depth of Cut 75 MM

Speed 5300 RPM

Net Weight 6,25 Kg

Pcs 2



**RDX3655****Jig Saw****750** Watt» **LASER GUIDE FOR STRAIGHT CUT**

- » 6 speeds can be applied to different materials: metal, plastic, wood and etc.
- » 0-3000 RPM per minute for higher cutting performance
- » 4 Orbital Settings & 45° Bevel Precise Cutting
- » Tool-free Blade Changing & Switch Lock Design
- » LED Light Guide & Dust Collection

Power

750 W

Depth of Cut

WOOD: 100 MM / STEEL: 10MM

Speed

0 - 3000 RPM

Net Weight

2,60 Kg

Pcs

5

**RDX360****Jig Saw****1300** Watt» **LASER GUIDE FOR STRAIGHT CUT**

- » 6 speeds can be applied to different materials: metal, plastic, wood and etc.
- » 800-3000 RPM per minute for higher cutting performance
- » 4 Orbital Settings & 45° Bevel Precise Cutting
- » Tool-free Blade Changing & Switch Lock Design
- » LED Light Guide & Dust Collection

Power

800 W

Depth of Cut

100 MM

Speed

800 - 3000 RPM

Net Weight

2,7 KKg

Pcs

6

RDX9071**Reciprocating Saw****710** Watt

METAL - WOOD - PLASTIC



- » RODEX 710W reciprocating saw with rotation speed between 0 ~ 2800 rpm meet different cutting needs on various materials
- » The lock button on the handle helps work through a constant speed
- » With quick-change mechanism, it is able to install or remove the blade very quickly and without using any other tool
- » Ideal for cutting of wood, metal, PVC, tube a plasterboard plate etc

Power

710 W

Metal Cutting

90 MM

Wood Cutting

115 MM

Plastic Cutting

115 MM

Speed

0-2800 RPM

Net Weight

2,58 Kg

Pcs

6



JSB1211K Spare Blade

RODEX






CHOICE OF PROFESSIONALS


RDX110

Mini Plunge Saw Set


600 Watt



Power	600 W
Saw Diameter	89 MM
Speed	5500 RPM
Net Weight	3,87 Kg
Pcs	4




3 Saw Blade Gift



RDX137

Multi Tool

320 Watt



Power	320 W
Oscillation Angle	1.4 °
Speed	6000 - 20000 RPM
Net Weight	2,5 Kg
Pcs	4

GIFT ACCESSORIES



Code	Description	Pcs.
RDY13701	Blade	10
RDY13702	Saw (Wood)	10
RDY13703	Saw (Steel)	10
RDY13704	Grout Cleaner	10
RDY13705	Grout Blade	10
RDY13706	Sand	10
RDY13707	Sand Pad	10
RDY13708	Ring Saw (Wood)	10

**RDX3881****Marble Cutter****1300** Watt 

- » Cutting Depth 21.5 - 32.5mm
- » 45° Angle Cutting
- » Wet Cutting
- » Easy access to brushes for quick replacement
- » Trigger Lock System

Power	1300 W
Saw Diameter	110-125 mm
Depth of Cut	90°: 32.5 mm 45°: 21.5 mm
Speed	11000 RPM
Net Weight	3,33 Kg
Pcs	6




Wet cutting function

60CM Transparent Hose




60CM Transparent Hose

RDX140**Wall Chaser****2000** Watt 

- » 2000 RPM High Power
- » 35MM Cutting Depth
- » Easy Brush Change
- » Dust Exit Unit
- » Carry Case

Power	2000 W
Cutting Width	35 MM
Depth of Cut	35 MM
Speed	2000 RPM
Net Weight	11 Kg
Pcs	2

RDX1395**Wall Chaser****1500** Watt 

DOUBLE BLADE

- » 1500 RPM High Power
- » 16-25-35MM Cutting Depth
- » Easy Brush Change
- » Dust Exit Unit
- » Carry Case

Power	1500 W
Cutting Width	8-30 MM
Depth of Cut	5-30 MM
Speed	8500 RPM
Net Weight	6,4 Kg
Pcs	2

RDX139**Wall Chaser****1100** Watt 

- » 2000 RPM High Power
- » 16-25-35MM Cutting Depth
- » Dust Exit Unit
- » Carry Case

Power	1100 W
Cutting Width	16-35 MM
Depth of Cut	16 - 25 - 35 MM
Speed	2000 RPM
Net Weight	10,8 Kg
Pcs	2




CHOICE OF PROFESSIONALS

RDX3901 Electric Planer

910 Watt 



- » Large knife shaft and a 910 W power rating deliver optimum planing results.
- » Adjustable chipping depth. Depth up to 3,5 mm.
- » Large blade wave for ideal working results
- » Sturdy, flat aluminium base plate for the best planning results



ACCESSORIES

Power	910W
Planer Width	82 mm
Planer Depth	3,5 mm
Speed	16500 RPM
Net Weight	3,8 Kg
Pcs	4

RDX3705 Finishing Sander

380 Watt 



- » Speed selection to suit any application
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » Aluminium Base
- » Trigger Lock System
- » Dust Collection Bag

Power	380 W
Sanding Size	113 x 225 MM
Oscillating diameter	2 MM
Speed	6000-11000 RPM
Net Weight	2.5 Kg
Pcs	6

RDX374 Belt Sander

1010 Watt 



- » Under the 1000W high power and 6 adjustable speeds
- » 75 x 533mm sandpaper for larger sanding area
- » Soft-grip design for comfortable working
- » Adjustable Handle
- » Trigger Lock System, perfect for long-time work.
- » Speed Adjust

Power	1010 W
Sanding Size	76 x 533 MM
Speed	120 - 380 RPM
Net Weight	4,11 Kg
Pcs	6

RDX3765 Random Orbit Sander

480 Watt 



- » Excellent, handling, control and manageability for relaxed and clean working in all orientations
- » Variable speed control with ergonomic positioning
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » Trigger Lock System
- » Integrated dust extraction due to the dust box

Power	480 W
Sanding Size	125 MM
Oscillating diameter	2.3 MM
Speed	4000-14000 RPM
Net Weight	2,6 Kg
Pcs	6

**RDX377****Random Orbit Sander****450** Watt 

- » Excellent, handling, control and manageability for relaxed and clean working in all orientations
- » Variable speed control with ergonomic positioning
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » Trigger Lock System
- » Integrated dust extraction due to the dust box

Power	450 W
Sanding Size	125 / 150 MM
Oscillating diameter	2.3 MM
Speed	4000-13000 RPM
Net Weight	2,84 Kg
Pcs	5

RDX3787**Electric Router****1600** Watt 

- » 1600W motor with soft start function and variable speeds (6000-22000Rpm) for smooth routing across every application
- » Variable plunge depth up to 50mm with micro adjustment dial for precise woodwork
- » 1/2 inch and 1/4 collets enable use with the most widely available router bits
- » Ergonomic soft grip handle with on/off lock-on switch built-in for maximum ease of use

Power	1600 W
Clamp Size	8 / 12 MM
Plunge Depth	0-60 MM
Speed	6000 - 22000 RPM
Net Weight	5,48 Kg
Pcs	2

RDX3785
Electric Trimmer**680** Watt 

Power	680 W
Chuck Diameter	6,35 MM
Spindle Lock	Yes
Speed	3000 RPM
Net Weight	1,8 Kg
Pcs	10



ACCESSORIES





CHOICE OF PROFESSIONALS

RDX3921

Hand Mixer

1200 Watt



» 6 VARIABLE SPEED MODES

- » Double handle ergonomic design, soft grip.
- » Mixer Paddle Ø120 mm, Tool connection: M14
- » Widely used for mixing feed, paint, cement, drywall mud, grout, mortar, plaster etc.
- » Trigger Lock System
- » Easy Brush Change

Power	1200 W
Mixer Paddle	Ø 120 mm
Speed	0 - 800 RPM
Net Weight	5,25 Kg
Pcs	2

RDX3922

Hand Mixer

1200 Watt



» 6 VARIABLE SPEED MODES

- » Double handle ergonomic design, soft grip.
- » Mixer Paddle Ø100-120 mm, Tool connection: M14
- » Widely used for mixing feed, paint, cement, drywall mud, grout, mortar, plaster etc.
- » Trigger Lock System
- » Easy Brush Change

Power	1200 W
Mixer Paddle	Ø 100-120 mm
Speed	400 - 900 RPM
Net Weight	4,6 Kg
Pcs	4

RDX3941

Hand Mixer

1600 Watt



» 6 VARIABLE SPEED MODES

- » Double handle ergonomic design, soft grip.
- » Mixer Paddle Ø140 mm, Tool connection: M14
- » Widely used for mixing feed, paint, cement, drywall mud, grout, mortar, plaster etc.
- » Trigger Lock System
- » Easy Brush Change

Power	1600 W
Mixer Paddle	Ø 140 mm
Speed	0 - 800 RPM
Net Weight	6 Kg
Pcs	2

Concrete Vibrator Shaft



Code	Vibrator Mace Diameter	Shaft Length	Pcs./Box
RDY170	35 MM	1 M	1
RDY171	35 MM	1,5 M	1
RDY172	35 MM	2 M	1
RDY175	50 MM	4 M	1
RDY176	50 MM	6 M	1
RDY177	70 MM	4 M	1
RDY178	70 MM	6 M	1



RDX475

Concrete Vibrator

1500 Watt 

Vibrator Type	Deep
Engine Type	Electric
Power	1500 W
Vibration Frequency	2850 R/Min.
Tip Diameter	50-70 MM
Net Weight	10,8 Kg
Pcs	1

RDX476

Concrete Vibrator

2000 Watt 

Vibrator Type	Deep
Engine Type	Electric
Power	2000 W
Vibration Frequency	2850 R/Min.
Tip Diameter	50-70 MM
Net Weight	10 Kg
Pcs	1

RDX470

Concrete Vibrator

800 Watt 

Vibrator Type	Deep
Engine Type	Electric
Power	800 W
Vibration Frequency	3800 R/Min.
Tip Diameter	35 MM
Net Weight	1,80 Kg
Pcs	10

RDX477

Concrete Vibrator

2300 Watt 

Unique Design

The protective metal frame prevents the concrete vibration motor from sliding.



Vibrator Type	Deep
Engine Type	Electric
Power	2300 W
Vibration Frequency	4000 RPM
Tip Diameter	50-70 MM
Net Weight	6,25 Kg
Pcs	2




CHOICE OF PROFESSIONALS


RDX3060

Wet & Dry Industrial Vacuum Cleaner

1400 Watt 



On-board maximum 600W power outlet allows synchronized usage of power tools with auto on/off



ACCESSORIES




Power	1400 W
Power Outlet	600 W
Tank Capacity	20 L
Vacuity	≥ 20kpa
Net Weight	7 Kg
Pcs	1




RDX307

Wet & Dry Industrial Vacuum Cleaner

1400 Watt 



On-board maximum 600W power outlet allows synchronized usage of power tools with auto on/off



ACCESSORIES



Power	1400 W
Power Outlet	600 W
Tank Capacity	30 L
Vacuity	≥ 20kpa
Net Weight	7 Kg
Pcs	1



CHOICE OF PROFESSIONAL



RODEX



RDX287

Industrial Electric Heater

5 kW 



Power	5 kW
Voltage	380-400 V
Air Consumption	588 m³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	50 m²
Cable Length	1.6 M
Dimensions	330*235*345mm
Net Weight	4,36 Kg
Pcs	1

- The ceramic heater does not burn out oxygen in the room. The room does not get stuffy when using the heater.
- Does not ignite dust that has fallen on it. There is no unpleasant burnt smell during heating.
- The air flow direction is regulated by the fan inclination. No additional tools are required to change the airflow angle.
- The operating mode and heating intensity are set with rotary knobs from above. The controls are simple and straightforward.
- 3 operating modes: airing, half power and full power. In ventilation mode, replaces the conventional fan.
- The device is to in handy even in the warm season.

RDX286

Electric Heater

3 kW 



Power	3 kW
Voltage	220-240 V
Air Consumption	280 m³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	30 m²
Cable Length	1.6 M
Dimensions	265*210*290mm
Net Weight	2,96 Kg
Pcs	1

RDX285

Electric Heater

2 kW 



Power	2 kW
Voltage	220-240 V
Air Consumption	197 m³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	20 m²
Cable Length	1.6 M
Dimensions	210*160*217mm
Net Weight	1,88 Kg
Pcs	8



RDX2812

Gas Forced Heater

12 kW **» 320 m³/h. heat up a area in no time.**

- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	40.000 BTU/H.
Heating power	12 kW
Fan Power Consumption	40 W
Max flow rate gas	0,81 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	320 m³/H.
Fuel	propane / butane
Auto ignition	Yes
Weight	3.8 Kg
Quantity	1

RDX2817

Gas Forced Heater

17 kW **» 320 m³/h. heat up a area in no time.**

- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	57.000 BTU/H.
Heating power	17 kW
Fan Power Consumption	40 W
Max flow rate gas	1.17 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	320 m³/H.
Fuel	propane / butane
Auto ignition	Yes
Weight	3.8 Kg
Quantity	1

RDX2833

Gas Forced Heater

33 kW **» 650 m³/h. heat up a area in no time.**

- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	112.000 BTU/H.
Heating power	33 kW
Fan Power Consumption	70 W
Max flow rate gas	2,4 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	650 m³/H.
Fuel	propane / butane
Auto ignition	Yes
Weight	5,65 Kg
Quantity	1

RDX2851

Gas Forced Heater

51 kW **» 650 m³/h. heat up a area in no time.**

- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	173.000 BTU/H.
Heating power	51 kW
Fan Power Consumption	70 W
Max flow rate gas	3,7 Kg/H.
Add. liquefied pressure gas	1,5 Bar
Air consumption	650 m³/H.
Fuel	propane / butane
Auto ignition	Yes
Weight	6,45 Kg
Quantity	1



RDX2910

Diesel Forced Heater

10 kW



» **750 m³/h. heat up a area in no time.**

- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Automatic electric safety & control device.

Voltage	220-240 V
Heating capacity	34.000 BTU/H.
Heating power	10 kW
Fan Power Consumption	230 W
Fuel consumption	0.8 Kg/H.
Air consumption	450 m³/H.
Fuel	Diesel
Auto ignition	Yes
Weight	10 Kg
Quantity	1

RDX2920

Diesel Forced Heater

20 kW



» **750 m³/h. heat up a area in no time.**

- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.

Voltage	220-240 V
Heating capacity	68.000 BTU/H.
Heating power	20 kW
Fan Power Consumption	230 W
Fuel consumption	1,6 Kg/H.
Air consumption	550 m³/H.
Fuel	Diesel
Auto ignition	Yes
Weight	14 Kg
Quantity	1

RDX2930

Diesel Forced Heater

30 kW



» **750 m³/h. heat up a area in no time.**

- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.
- » Wheels for easy mobility.

Voltage	220-240 V
Heating capacity	102.000 BTU/H.
Heating power	30 kW
Fan Power Consumption	230 W
Fuel consumption	2,4 Kg/H.
Air consumption	750 m³/H.
Fuel	Diesel
Auto ignition	Yes
Weight	21 Kg
Quantity	1

RDX2950

Diesel Forced Heater

50 kW



» **750 m³/h. heat up a area in no time.**

- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.
- » Wheels for easy mobility.

Voltage	220-240 V
Heating capacity	170.000 BTU/H.
Heating power	50 kW
Fan Power Consumption	230 W
Fuel consumption	4,0 Kg/H.
Air consumption	1200 m³/H.
Fuel	Diesel
Auto ignition	Yes
Weight	26 Kg
Quantity	1

**RDX304****Hot Air Gun****2000 Watt**

» Smart thermostat, automatic shutdown in case of heating because of overstrain.

» 2000W motor can generate powerful hot air and can heat up in seconds quickly.

» Multifunctional heat gun widely can be applied for peeling paint, bending pipes, igniting carbon, shrinking PVC, removing rusted bolts, bending and molding plastics and thawing and more

Power 2000 W

Temperature 380° / 600°C

Speed 300/500 L/min

Net Weight 1,6 Kg

Pcs 5

RDX303A**Hot Air Gun****2000 Watt**

» This kind of heat gun is designed with 2 modes

» Built-in overheating protection can make sure safe and reliable using.

» 4 Nozzles & other accessories

» Ergonomic design, rubber coating with easy grip does not tire hands.

Power 2000 W

Temperature 300° / 600°C

Speed 280/480 L/min

Net Weight 1,29 Kg

Pcs 10

RDX3015**Air Blower****550 Watt**

» Professional 550 watt powerful leaf blower, portable and easy to use

» Built-in powerful and durable high speed motor

» Offer different wind forces with variable speeds controller switch

» Rubber soft grip coated handle

» Powerful blower and suction device ideal for leaf blowing or car drying

Power 550 W

Speed 0-15000 RPM

Air Flow Capacity 2.8 m³/ min.

Net Weight 2,16 Kg

Pcs 6

RDX3015**Air Blower****650 Watt**

» Professional 650 watt powerful leaf blower, portable and easy to use

» Built-in powerful and durable high speed motor

» Offer different wind forces with variable speeds controller switch

» Rubber soft grip coated handle

» Powerful blower and suction device ideal for leaf blowing or car drying

Power 650 W

Speed 0-15000 RPM

Air Flow Capacity 3.2 m³/ min.

Net Weight 2,16 Kg

Pcs 6




CHOICE OF PROFESSIONALS

RDX490A

Electric Chain Hoists

1900 Watt 



COPPER WINDING

The high-quality copper motor 1300W. This powerful motor ensures the high-efficient work and saves more energy.



Operating Voltage	230 V
Frequency	50 Hz
Power	1900 W
Load Capacity	600/1200 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	33 Kg
Pcs	1



RDX480A


Electric Chain Hoist



Operating Voltage	230 V
Frequency	50 Hz
Power	1300 W
Load Capacity	400 / 800 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	19,2 Kg
Pcs	2

RDX450A

Electric Chain Hoist



Operating Voltage	230 V
Frequency	50 Hz
Power	1000 W
Load Capacity	250 / 500 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	16,80 Kg
Pcs	2

RDX425A

Electric Chain Hoist



Operating Voltage	230 V
Frequency	50 Hz
Power	500 W
Load Capacity	125 / 250 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	10,7 Kg
Pcs	2



RDX480

Electric Chain Hoists

1300 Watt ⚡



Wide Application: The power hoist is suitable for factories, warehouses, construction sites, carmakers, railway constructions, etc. It is an ideal tool for working in harsh indoor or outdoor environments.

COPPER WINDING

The high-quality copper motor 1300W. This powerful motor ensures the high-efficient work and saves more energy.



Operating Voltage	230 V
Frequency	50 Hz
Power	1300 W
Load Capacity	400 / 800 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	20 Kg
Pcs	2



RDX450

Electric Chain Hoist

1000 Watt ⚡



Operating Voltage	230 V
Frequency	50 Hz
Power	1000 W
Load Capacity	250 / 500 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	17,20 Kg
Pcs	2

RDX425

Electric Chain Hoist

500 Watt ⚡



Operating Voltage	230 V
Frequency	50 Hz
Power	500 W
Load Capacity	125 / 250 Kg
Rope length - thickness	20 M (Ø 4 mm)
Net Weight	11 Kg
Pcs	2



CHOICE OF PROFESSIONALS



RODEX



RDX5115

Inverter DC Welding Machine

- » Min - Max current 10-200 A
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø4,0mm** of covered electrodes.
- » Thermal Protection
- » Air Cooler
- » Shoulder Strap

Operating Voltage	230V/50 HZ
Rated Power Input	5.3 KW
Output Current	10-200A
Electrode	Ø1.6 - Ø4 MM
Rated Duty Cycle (%)	60
Insulation Class	F
Efficiency (%)	85
Net Weight	4,7 Kg
Pcs	1

10-200A ⚡

IGBT
TECHNOLOGY

IP21S



RDX5117

Inverter DC Welding Machine

- » Min - Max current **10-180 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø3,2mm** of covered electrodes.
- » Thermal Protection
- » Air Cooler
- » Shoulder Strap
- » Carry Case

Operating Voltage	230V/50 HZ
Rated Power Input	5.4 kw
Output Current	10-180A
Electrode	Ø1.6 - Ø3.2 mm
Rated Duty Cycle (%)	60
Insulation Class	F
Efficiency (%)	85
Net Weight	5 Kg
Pcs	1

10-180A ⚡

IGBT
TECHNOLOGY

IP21S



RDX5118

Inverter DC Welding Machine


- » Min - Max current **20-200 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø4,0mm** of covered electrodes.
- » Thermal Protection
- » Air cooler
- » Shoulder Strap

Operating Voltage	230V/50 HZ
Rated Power Input	6.0 kw
Output Current	20-200A
Electrode	Ø1.6 - Ø4 mm
Rated Duty Cycle (%)	60
Insulation Class	H
Net Weight	4 Kg
Pcs	1

20-200A ⚡

IGBT
TECHNOLOGY

IP21S





CHOICE OF PROFESSIONALS

RDX50160

Inverter DC Welding Machine

MADE IN ITALY

10-160A

- » Current Range **10-160 A**
- » With digital display
- » Provides uninterrupted welding performance with **Ø1.6mm, Ø4.0mm** covered electrodes.
- » Thermal protection
- » Cooling fan
- » Carrying Strap

IGBT
TECHNOLOGY

IP21S

INPUT VOLTAGE (V)	230 V
FREQUENCY (Hz)	50-60 Hz
MAXIMUM POWER (kW/kVA)	5,2 kW / 7kVA
NO LOAD VOLTAGE (V)	60 V
WELDING CURRENT (Min-Max)	10 – 160 A
EFFICIENCY	82%
POWER FACTOR	0,76
ELECTRODE DIAMETER (mm)	1,6 – 4 mm
MAXIMUM INPUT CURRENT (A)	28,8 A
EFFECTIVE INPUT CURRENT (A)	11,2 A
PROTECTION CLASS	IP21
DUTY RATIO (X)	15% - 160 A – 26,4 V
NOMINAL OUTPUT CURRENT (I ₂)	60% - 80 A – 23,2 V
NOMINAL OUTPUT VOLTAGE (U ₂)	100% - 62 A – 22,5 V
WEIGHT	3,6 kg



RDX50200

Inverter DC Welding Machine

MADE IN ITALY

15-200 A

- » Current Range **15-200 A**
- » With digital display
- » Provides uninterrupted welding performance with **Ø1.6mm, Ø5.0mm** covered electrodes.
- » Thermal protection
- » Cooling fan
- » Carrying Strap

IGBT
TECHNOLOGY

IP21S

INPUT VOLTAGE (V)	230 V
FREQUENCY (Hz)	50-60 Hz
MAXIMUM POWER (kW/kVA)	7kW /8,5kVA
NO LOAD VOLTAGE (V)	65 V
WELDING CURRENT (Min-Max)	15 - 200 A
EFFICIENCY	83%
POWER FACTOR	0,77
ELECTRODE DIAMETER (mm)	1,6 - 5 mm
MAXIMUM INPUT CURRENT (A)	35,8 A
EFFECTIVE INPUT CURRENT (A)	13,9 A
PROTECTION CLASS	IP21
DUTY RATIO (X)	15% - 200 A - 28 V
NOMINAL OUTPUT CURRENT (I ₂)	60% - 100 A - 24 V
NOMINAL OUTPUT VOLTAGE (U ₂)	100% - 77 A - 23,1 V
WEIGHT	4,9 kg





CHOICE OF PROFESSIONALS



RODEX

**RDX724****Air Compressor****1500 Watt** ⚡ **2.0 Hp**

- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp / 1500 W
Tank Capacity	24 Lt
Pressure	8 Bar
Speed	206 L/Min
Net Weight	25,7 Kg
Pcs	1

RDX7204**Air Compressor Oil Free Type****1100 Watt** ⚡ **1.5 Hp**

- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Power	1,5 Hp / 1100 W
Tank Capacity	50 Lt
Pressure	8 Bar
Speed	200 L/Min
Net Weight	34,6 Kg
Pcs	1

RDX750**Air Compressor****1500 Watt** ⚡ **2.0 Hp**

- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp / 1500 W
Tank Capacity	50 Lt
Pressure	8 Bar
Speed	206 L/Min
Net Weight	32,3 Kg
Pcs	1

RDX751**Air Compressor Oil Free Type****1500 Watt** ⚡ **2.0 Hp**

- » Transportation Handle
- » Transportation Wheels
- » Dual Output



Power	2,0 Hp / 1500 W
Tank Capacity	50 Lt
Pressure	8 Bar
Speed	220 L/Min
Net Weight	25,5 Kg
Pcs	5



RDX796


Air Compressor

2200 Watt **3.0** Hp

Power	3.0 HP / 2200 W
Tank Capacity	200 Lt
Pressure	8 Bar
Speed	250 L/Min
Net Weight	155 KG
Pcs	1



Faster cooling and less noise thanks to the pulley system



RDX7304

Mini Air Compressor

210 Watt



Internal LED illuminated



Cigarette lighter plug with 3M cable



1M spiral hose



3X Headings



PVC Bag



Pressure Gauge

Power 12V / 210 W

Pressure 150 PSI

Speed 55 L/Min.

Cylinder Double Cylinder 30MM

Pump Hose 1 M

Lighter Cable 3 M

Net Weight 2.55 Kg

Pcs 6

RDX7301

Mini Air Compressor

90 Watt



Power 12V / 90 W

Pressure 150 PSI

Speed 30 L/Min.

Cylinder One Cylinder 30MM

Pump Hose 75cm

Lighter Cable 3 M

Net Weight 0.95 Kg

Pcs 8



CHOICE OF PROFESSIONALS


RDX0125 Air Impact Wrench



Hammer System	One Hammer
Length	180 MM
Bolt Capacity	16 MM
Square Drive	1/2"
Maximum Torque	312 NM
Speed	7000 RPM
Hose Diameter	10 M
Air Inlet	1/4"
Air Consumption	120 L/min
Work Pressure	90 psi (6.2 atm)
Net Weight	4,1 KG
Pcs	5



RDX0135 Air Nailer Gun



Nail Capacity	10-50 MM
Magazine Capacity	100 Pcs
Air Inlet	1/4"
Pressure	4-8 BAR
Net Weight	1,9 KG
Pcs	10

RDX0130 Air Nailer Gun



Nail Capacity	10-30 MM
Magazine Capacity	100 Pcs
Air Inlet	1/4"
Pressure	4-8 BAR
Net Weight	1 KG
Pcs	10

RDX0140 Electric Nail & Stapler Gun



300 pcs 19mm Stapler
100 pcs 25mm Nail




Nail / Stapler Capacity	Stapler: 15 - 25 MM Nail: 15 - 32 MM
Nail / Stapler Magazine Capacity	100 Pcs
Firing Rate	20 Pcs / min.
Net Weight	2,1 KG
Pcs	6

RDX0145 Electric Nail & Stapler Gun



400 pcs 14mm Stapler
100 pcs 15mm Nail



Nail / Stapler Capacity	Stapler: 8 - 16 MM Nail: 15 - 16 MM
Nail / Stapler Magazine Capacity	Stapler: 100 Pcs Nail: 80 Pcs
Firing Rate	20 Pcs / min.
Net Weight	1,5 KG
Pcs	10



CHOICE OF PROFESSIONALS



RODEX



CHOICE OF PROFESSIONALS

RDX93201i

Gasoline Inverter Generators

3.5 KW

220 Volt



2x USB Port



2x Monophase



Maximum Power	3.5 kW / 3.5 kVA
Continuous Power	3.2 kW / 3.2 kVA
Voltage	220V / 50Hz
Engine Capacity	163 CC
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	8 Lt
Engine Oil	Sae 10w-30 or 15w-40
Sound Level	58 dB
No Load Working Time	7.5 Hours
N.W / G.W	26 / 28 KG
Extra	2x USB Port, Parallel Operation

RDX90750R

Gasoline Generators

0.75 KW

220 Volt



1x Monophase



Maximum Power	1,1 KVA / 0,9KW
Continuous Power	0.9 KVA / 0,75 KW
Voltage	220V / 50Hz
Power Factor	0.8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 2 Stroke
Engine Type	1E45F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	4,0 Lt
Fuel Consumption	0,9 L/h
Engine Oil	20/50 - Sae30
Sound Level	65 dB
N.W / G.W	15 / 16 KG

RDX90800R

Gasoline Generators


0.80 KW



1x Monophase



Maximum Power	1.2 KVA / 0.9 KW
Continuous Power	1.1 KVA / 0.8 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	156-F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	5 Lt
Fuel Consumption	0,65 L/h
Engine Oil	20/50 - Sae30
Sound Level	65 dB
N.W / G.W	23/24 KG





RDX92000E

Gasoline Generators

2.0 KW



Monophase



Maximum Power	2.2 KVA / 2.2 KW
Continuous Power	2.0 KVA / 2.0 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	66 dB
N.W / G.W	41.16 / 43.44 KG

RDX92000R

Gasoline Generators

2.0 KW



Monophase



Maximum Power	2.2 KVA / 2.2 KW
Continuous Power	2.0 KVA / 2.0 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	66 dB
N.W / G.W	37 / 35 KG

RDX92800E

Gasoline Generators

2.8 KW



Monophase



Maximum Power	3,0 KVA / 3 KW
Continuous Power	2.8 KVA / 2.8 KW
Voltage	220V / 50Hz
Power Factor	0,8 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	76 dB
N.W / G.W	45.2 / 47.5 KG

RDX92800R

Gasoline Generators

2.8 KW



Monophase



Maximum Power	3,7 KVA / 3 KW
Continuous Power	3.5 KVA / 2.8 KW
Voltage	220V / 50Hz
Power Factor	0,8 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	76 dB
N.W / G.W	38.5/40.8 KG



CHOICE OF PROFESSIONALS


RDX95000E3

Gasoline Generators

5.0 KW



Maximum Power	6.8 KVA / 5.5 KW
Continuous Power	6.2 KVA / 5.0 KW
Voltage	220V - 380V / 50Hz
Power Factor	0,8 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	74.02 / 84.36 KG



RDX95000E

Gasoline Generators

5.0 KW



Monophasic

Maximum Power	5.5 KVA / 5.5 KW
Continuous Power	5.0 KVA / 5.0 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	73.84 / 84.08 KG

RDX96000E

Gasoline Generators

6.0 KW



Monophasic

Maximum Power	6.5 KVA / 6.5 KW
Continuous Power	6.0 KVA / 6.0 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	75.56 / 85.56 KG




RDX96000E3

Gasoline Generators

6.0 kW ⚡



Maximum Power	8.1 KVA / 6.5 KW
Continuous Power	7.5 KVA / 6.0 KW
Voltage	220V - 380V / 50Hz
Power Factor	0.8 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	75.84 / 86.2 KG



RDX97000E

Gasoline Generators

7.0 kW 



Monophase





Maximum Power	7.5 KVA / 7.5 KW
Continuous Power	7.0 KVA / 7.0 KW
Voltage	220V / 50Hz
Power Factor	1 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	192F
Starting System	Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	3.50Lt/H
Engine Oil	20/50 - Sae30
Sound Level	78 dB
N.W / G.W	77.42 / 88.08 KG

RDX97000E3

Gasoline Generators

7.0 KW



Monophase
Triphase




Maximum Power	9.4 KVA / 7.5 KW
Continuous Power	8.8 KVA / 7.0 KW
Voltage	220V - 380V / 50Hz
Power Factor	0.8 (COS Ø)
Engine	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	192F
Starting System	Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	3.50Lt/H
Engine Oil	20/50 - Sae30
Sound Level	78 dB
N.W / G.W	78.54 / 89.06 KG



RDX90950DE

Diesel Generators

10.0 kVA
220 Volt



Maximum Power	10 kW / 10 kVA
Continuous Power	9.5 kW / 9.5 kVA
Voltage	220V / 50Hz
Battery Capacity	12V - 36 Ah
Power Factor	1 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	1105FE
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	25 Lt
Fuel Consumption	≤ 300 g/kW.h
Oil Capacity	2 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	6 Hours
Sound Level	85 dB
N.W / G.W	160 / 165 KG

RDX90950DE3

Diesel Generators

12.5 kVA
380 Volt



Maximum Power	10 kW / 12.5 kVA
Continuous Power	9.5 kW / 11.9 kVA
Voltage	220V - 380V / 50Hz
Battery Capacity	12V - 36 Ah
Power Factor	0.8 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	1105FE
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	25 Lt
Fuel Consumption	≤ 300 g/kW.h
Oil Capacity	2 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	6 Hours
Sound Level	85 dB
N.W / G.W	160 / 165 KG

RDX91100DE

Diesel Generators

12.0 kVA
220 Volt




Maximum Power	12 kW / 12 kVA
Continuous Power	11 kW / 11 kVA
Voltage	220V / 50Hz
Battery Capacity	12V - 36 Ah
Power Factor	1 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	292F
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	25 Lt
Fuel Consumption	≤ 245 g/kW.h
Oil Capacity	2,75 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	6 Hours
Sound Level	85 dB
N.W / G.W	220 / 240 KG

RDX91100DE3

Diesel Generators

15.0 kVA
380 Volt



Maximum Power	12 kW / 15 kVA
Continuous Power	11 kW / 13.75 kVA
Voltage	220V - 380V / 50Hz
Battery Capacity	12V - 36 Ah
Power Factor	0.8 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	292F
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	25 Lt
Fuel Consumption	≤ 245 g/kW.h
Oil Capacity	2,75 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	6 Hours
Sound Level	85 dB
N.W / G.W	220 / 240 KG



CHOICE OF PROFESSIONALS

RDX90450DEC

Kabinli Dizel Jeneratör

5.0 kVA
220 Volt



Kumandalı

Maximum Power	5 kW / 5 kVA
Continuous Power	4.5 kW / 4.5 kVA
Voltage	220V / 50Hz
Battery Capacity	12V - 30 Ah
Power Factor	1 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	186FA
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	15 Lt
Fuel Consumption	≤ 280 g/kW.h
Oil Capacity	1,65 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	7.5 Hours
Sound Level	72 dB
N.W / G.W	150 / 155 KG



2x Monofaze

RDX90800DECA

Kabinli Dizel Jeneratör

8,0 kVA
220 Volt



ATS PANEL

Kumandalı

Maximum Power	8.5 kW / 8.5 kVA
Continuous Power	8 kW / 8 kVA
Voltage	220V / 50Hz
Battery Capacity	12V - 30 Ah
Power Factor	1 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	1100FE
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	15 Lt
Fuel Consumption	≤ 280 g/kW.h
Oil Capacity	2 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	6.5 Hours
Sound Level	72 dB
N.W / G.W	205 / 215 KG



2x Monofaze

RDX90450DECA

Kabinli Dizel Jeneratör

5.0 kVA
220 Volt



Kumandalı

Maximum Power	5 kW / 5 kVA
Continuous Power	4.5 kW / 4.5 kVA
Voltage	220V / 50Hz
Battery Capacity	12V - 30 Ah
Power Factor	1 (COS Ø)
Engine	Direct Injection, Single Cylinder, Air Cooled, 4 Stroke
Engine Type	186FA
Starting System	Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	15 Lt
Fuel Consumption	≤ 280 g/kW.h
Oil Capacity	1,65 Lt.
Engine Oil	Sae 10w-30 or 15w-40
No Load Working Time	7.5 Hours
Sound Level	72 dB
N.W / G.W	150 / 155 KG



2x Monofaze






RDX135E

Diesel Tillers

10,0 Hp ⚡

Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Power	10 Hp
Starting System	Recoil-Electric Starter
Operation Type	Gear Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Euro Diesel
Engine Oil	20/50-Sae30
Fuel Tank	5 L
Working Depth	30 CM
Working Width	80-130 CM
Amount of Blades	40 Pcs
Rubber Wheel	500-12
Net Weight	209,5 KG




RDX105E

Diesel Tillers

7,0 Hp ⚡

Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Power	7 Hp
Starting System	Recoil-Electric Starter
Operation Type	Gear Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Euro Diesel
Engine Oil	20/50-Sae30
Fuel Tank	3,5 L
Working Depth	30 CM
Working Width	80-110 CM
Amount of Blades	32 Pcs
Rubber Wheel	500-12
Net Weight	189,5 KG





CHOICE OF PROFESSIONALS

RDX075

Gasoline Tillers

5,5 Hp

Engine Type OHV, Single Cylinder, Air Cooled, 4 Stroke

Engine Power 5,5 Hp

Starting System Recoil Starter

Operation Type Belt Transmission

Movement Type 2 Forward - 1 Backward

Fuel Type Gasoline

Engine Oil 20/50-Sae30

Fuel Tank 3,5 L


Working Depth 30 CM

Working Width 60-90 CM

Amount of Blades 24 Pcs

Rubber Wheel 400-8

Net Weight 79,5 KG



RDX100

Gasoline Tillers

6,5 Hp

Engine Type OHV, Single Cylinder, Air Cooled, 4 Stroke

Engine Power 6,5 Hp

Starting System Recoil Starter

Operation Type Gear Transmission

Movement Type 2 Forward - 1 Backward

Fuel Type Gasoline

Engine Oil 20/50-Sae30

Fuel Tank 3,5 L


Working Depth 30 CM

Working Width 110 cm

Amount of Blades 32 Pcs

Rubber Wheel 400-8

Net Weight 127,5 KG





RDX135ER

Diesel Tillers

10,0 л.с.



Three gears:
2 forward / 1 reverse



Economical Diesel Engine;
Single Cylinder
4 Stroke Engine

Removable Hood



Diesel Engine




Lighting System



A durable cast-iron gear housing
protects the unit from stones

Engine Power	10 Hp
Starting System	Recoil-Electric Starter
Working Width	135 CM
Working Depth	15-30 CM
Milling Cutter Diameter	35 MM
Movement Type	2 Forward - 1 Backward
Fuel Tank	5.5 L
Clutch Mechanism	Disc Oil Bath
Rubber Wheel	500-12
Engine Type	Single Cylinder, 4 Stroke
Fuel Type	Euro Diesel
Connecting An Active Hitch	BOM
Net Weight	153 Kg



RDX100R


Gasoline Tillers

7.0 л.с.



24 reinforced tillers designed
for heavy soils (the cutters are
assembled in 4 groups with the
ability to remove one section to
reduce the processing width).

Engine Power	7 Hp
Starting System	Recoil
Working Width	135 cm
Working Depth	15-30 cm
Milling Cutter Diameter	35 MM
Movement Type	2 Forward - 1 Backward
Fuel Tank	5.5 L
Clutch Mechanism	Belt
Rubber Wheel	400-8
Transport Wheels	Yes
Engine Type	4 Stroke
Fuel Type	Gasoline
Connecting An Active Hitch	Pulley
Net Weight	72 Kg





CHOICE OF PROFESSIONALS

RDX9690

Gasoline Ground Drill

2.0 Hp 

Drills ground without Pressure
with 9.5 kgs of weight

Ergonomic Handles reduce the hand exhaustion by easy grab.



Convenient and Easy Operation



2 HP Double Segman Two Stroke Powerful Engine

Engine Power 2 HP / 52 CC

Drill Diameter 80 / 200 MM

Speed 6500 RPM

Fuel Tank 11

Engine Oil 20/50-Sae30

Net Weight 10KG

Pcs 1

Steel structure that protects
machine frame

Excluding the auger type is ideal for use for drill works about vine stock, general plants, greenhouse or fence supports, road lightening.

Ground Drill Bits

CODE	DIA	LENGTH	PCS
RDY160	80 MM	740 MM	1
RDY161	100 MM	740 MM	1
RDY162	150 MM	740 MM	1
RDY163	200 MM	740 MM	1
RDY164 Adapter	30 MM	345 MM	10





CHOICE OF PROFESSIONALS



RODEX



CHOICE OF PROFESSIONALS

RDX7190

Gasoline Pressure Washer

7,0 Hp ⚡

3000 PSI

- » POWERFUL 7.0 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load

Power	7.0 Hp / 5.2 KW
Maximum Pressure	207 Bar
Maximum Flow Speed	720 L/H
Hose Length	10 m
Net Weight	29 Kg
Pcs	1



RDX7185

Gasoline Pressure Washer

6,5 Hp

2500 PSI

- » POWERFUL 6.5 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load



Power	6.5 Hp / 4.8 KW
Maximum Pressure	175 Bar
Maximum Flow Speed	690 L/H
Hose Length	10 m
Net Weight	29 Kg
Pcs	1

RDX7180

Gasoline Pressure Washer

5,5 Hp 

2200 PSI

- » POWERFUL 5.5 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load



Power	5.5 Hp / 4.2 KW
Maximum Pressure	154 Bar
Maximum Flow Speed	580 L/H
Hose Length	7.5 m
Net Weight	29 Kg
Pcs	1



CHOICE OF PROFESSIONAL



RODEX




CHOICE OF PROFESSIONALS

RDX040

Gasoline Water Pump

7,0 Hp

Engine Power	7,0 HP
Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
In-out Diameter	100 MM (4")
Max Water	20 M
Suction Length	7 M
Capacity	1250 L / Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	28 KG
Pcs	1



RDX030

Gasoline Water Pump



Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	6,5 HP
In-out Diameter	80 MM (3")
Max Water	28 M
Suction Length	7 M
Capacity	1000 L / Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	25 KG
Pcs	1

RDX020

Gasoline Water Pump



Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	6,5 HP
In-out Diameter	50 mm(2")
Max Water	23 M
Suction Length	7 M
Capacity	500 L/Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	21.5 KG
Pcs	1




RDX064

Diesel Water Pump

9,0 Hp

Engine Power	9,0 HP
Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
In-out Diameter	100 MM (4")
Max Water	25 M
Suction Length	7 M
Capacity	1000 L / Min.
Fuel Tank	5,5 L
Engine Oil	20/50-Sae30
Net Weight	65 KG
Pcs	1




RDX053

Diesel Water Pump

5,2 Hp

Engine Power	5,2 HP
Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
In-out Diameter	80 MM (4")
Max Water	28 M
Suction Length	7 M
Capacity	600 L / Min.
Fuel Tank	3,5 L
Engine Oil	20/50-Sae30
Net Weight	45 KG
Pcs	1





RDX8151

Clean Water Submersible Pump

900 Watt 

- » 15 Tons of water drainage per hour
- » 10 mt. Cable for deep wells.
- » 9.5M height flowage capacity
- » Floater stops the pump automatically when the water runs out.

Power	900 W
Maximum Height	10 M
Capacity	15000 L/H
Hose Connection	3/4" - 1 1/4"
Cable Length	10 M
Weight	5,45 KG - 4,6 KG
Pcs	4

RDX814

Clean Water Submersible Pump

400 Watt 

Power	400 W
Maximum Height	8 M
Capacity	7000 L/H
Hose Connection	3/4" - 1 1/4"
Cable Length	10 M
Weight	4,38 KG - 3,4 KG
Pcs	4

RDX845

Clean Water Submersible Pump

800 Watt 

Power	800 W
Maximum Height	30 M
Capacity	90 L/Min.
Hose Connection	3/4" - 1 1/4"
Cable Length	10 M
Weight	7,5 KG - 6,2 KG
Pcs	4

RDX835

Clean Water Submersible Pump

1100 Watt 

Power	1100 W
Maximum Height	40 M
Capacity	60 L/Min.
Hose Connection	1"
Cable Length	9 M
Net Weight	16,3 KG
Pcs	1



RDX8318

Clean Water Submersible Pump

370 Watt



Power	370 W
Maximum Height	19 M
Capacity	75 L/Min.
Hose Connection	1"
Cable Length	8 M
Net Weight	9 KG
Pcs	1

RDX8325

Clean Water Submersible Pump

550 Watt



Power	550 W
Maximum Height	26 M
Capacity	100 L/Min.
Hose Connection	1"
Cable Length	8 M
Net Weight	11,1 KG
Pcs	1

RDX832

Clean Water Submersible Pump

750 Watt



Power	750 W
Maximum Height	32 M
Capacity	25 L/Min.
Hose Connection	1"
Cable Length	9 M
Net Weight	11,6 KG
Pcs	1

RDX8332

Clean Water Submersible Pump

750 Watt



Power	750 W
Maximum Height	33 M
Capacity	1.5m ³ L/H
Hose Connection	1"
Cable Length	8 M
Net Weight	12,2 KG
Pcs	1



CHOICE OF PROFESSIONALS

RDX8391

Dirty Water Submersible Pump

900 Watt

- » 17 Tons of water drainage per hour
- » 10 mt. Cable for deep wells.
- » 9.5M height flowage capacity
- » Floater stops the pump automatically when the water runs out.

Power 900 W

Maximum Height 10 M

Capacity 17000 L/H

Hose Connection 3/4" - 1 1/4"


Cable Length 10 M

Weight 5.02 KG

Pcs 4

AUTOMATIC FLOAT SWITCH

Floater stops the pump automatically when the water runs out.



RDX840

Clean / Dirty Water Submersible Pump

1100 Watt



Power 1100 W

Maximum Height 11 M

Capacity 15500 L/H

Hose Connection 3/4" - 1 1/4"

Cable Length 10 M

Net Weight 7,7 Kg

Pcs 4

RDX8421

Submersible Sewage Pump

1100 Watt



Power 1100 W

Maximum Height 8 M

Capacity 1.5m³ L/H

Hose Connection 2"

Cable Length 6 M

Net Weight 15,7 Kg

Pcs 1

**RDX858****Pump Regulator**

- » 1 m cable
- » Barometer

Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP44
Net Weight	1.25 KG
Pcs	12

RDX852**Pump Regulator**

- » Barometer

Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP54
Net Weight	1,05 KG
Pcs	12

RDX855**Pump Regulator**

Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP65
Net Weight	1,45 KG
Pcs	12

Circulation Pumps

- » Three speeds control
- » The pump runs almost silently
- » Small dimensions
- » Low power consumption
- » Insulation class: H
- » Pump housing: Cast Iron;
- Impeller: Corrosion-resistant, Composite, PES ;
- Shaft: Ceramic;
- Bearing: Carbon axial

**RDX892**

Power	93/67/46 W
Maximum Head	6/5/3 M
Hose Connection	25mm 1,5"
Capacity	65/52/33 Lt/Min.
Net Weight	2,7 KG
Pcs	8

RDX893

Power	120/93/67 W
Maximum Head	7/6/5,5 M
Hose Connection	25mm 1,5"
Capacity	68/55/45 Lt/Min.
Net Weight	3,45 KG
Pcs	4

RDX894

Power	120/93/67 W
Maximum Head	7/6/5,5 M
Hose Connection	50mm - 2"
Capacity	68/55/45 Lt/Min.
Net Weight	3,45 KG
Pcs	4

RDX895

Power	120/93/67 W
Maximum Head	7/6/5,5 M
Hose Connection	50mm - 2"
Capacity	68/55/45 Lt/Min.
Net Weight	2,8 KG
Pcs	8



CHOICE OF PROFESSIONALS

RDX878

Garden Water Pump

750 Watt 

» Powerful Suction: 1.0 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 30M deep.

» Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.

Power 750 W / 1.0 HP

Maximum Height 30 M


Maximum Suction 9 M

Hose Connection 1"

Capacity 120 Lt/Min.

Net Weight 12 KG

Pcs 1



RDX880

Garden Water Pump

1100 Watt 



» Powerful Suction: 1.5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 16M deep.

» Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.

Power 1100 W / 1,5 HP
Maximum Height 16 M
Maximum Suction 9 M
Hose Connection 2" X 2"
Capacity 350 Lt/Min.
Net Weight 20 KG
Pcs 1

%100 Copper Engine



100% Brass

RDX871

Garden Water Pump

800 Watt 



» Powerful Suction: 800 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 38M deep.

» Corrosion-resistant stainless steel construction extends product life and is easy to clean.

%100 Copper Engine



100% Brass



RDX873

Garden Water Pump

370 Watt 



- » Powerful Suction: 0,5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 35M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.


%100 Copper Engine

Power	370 W / 0,5HP
Maximum Height	35 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	35 Lt/Min.
Net Weight	5,08 KG
Pcs	6



%100 Copper Engine

Power	750 W / 1,0 HP
Maximum Height	60 M
Maximum Suction	8 M
Hose Connection	1" X 1"
Capacity	50 Lt/Min.
Net Weight	8,5 KG
Pcs	1



RDX875

Garden Water Pump

1100 Watt 



- » Powerful Suction: 1,5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 45M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

%100 Copper Engine

Power	1100 W / 1,5HP
Maximum Height	45 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	60 Lt/Min.
Net Weight	16,8 KG
Pcs	1



RDX876

Garden Water Pump

750 Watt 



- » Powerful Suction: 1,0 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 30M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

%100 Copper Engine

Power	750 W / 1,0 HP
Maximum Height	45 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	58 Lt/Min.
Net Weight	15,3 KG
Pcs	1






CHOICE OF PROFESSIONALS

RDX8804

Deep Well Pump


1100 Watt

Power	1100 W / 1.0 Hp
Maximum Height	115 M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	1.7M
Size	100x1164 mm
Net Weight	18,10 KG
Pcs	1



High-quality Material

The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.



Ø 100

1164mm

RDX8803

Deep Well Pump

550 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	550 W / 0.75 Hp
Maximum Height	89 M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	1.5 M
Size	75x1062mm
Net Weight	10,40 KG
Pcs	1



RDX8823

Deep Well Pump

750 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	750 W / 1.0 Hp
Maximum Height	115M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	1.7M
Size	75x1238mm
Net Weight	11,80 KG
Pcs	1






RDX8844

Deep Well Pump

2200 Watt

Power	2200 W / 3.0 Hp
Maximum Height	262M
Capacity	3.3m ³ /H
Hose Connection	1" - 25mm
Cable Length	2.8M
Size	100x1709mm
Net Weight	28,20 KG
Pcs	1



RDX8843

Deep Well Pump

1100 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	1100 W / 1.5 Hp
Maximum Height	162M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	2M
Size	75x1594mm
Net Weight	15,70 KG
Pcs	1

High-quality Material
The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.



IP54



Suction center

High strength anti-sand fluid components can applied to harsh working conditions.



The hermetically sealed motor is thermally protected to prevent overheating.

RDX8824

Deep Well Pump

1500 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	1500 W / 2.0 Hp
Maximum Height	198M
Capacity	3.3m ³ /H
Hose Connection	1" - 25mm
Cable Length	2.4M
Size	100x1385mm
Net Weight	22,10 KG
Pcs	1





Deep Well Pump

IP54

- » The body is made of chrome-plated steel. Resistant to corrosion and physical damage.
- » Distills solid particles up to 1.5 mm without harm to the mechanism. Slightly sandy water will not damage the pump.
- » Thermal protection prevents overload. The pump will automatically turn off if an emergency occurs.

**RDX882****RDX883****RDX885**

Power	1500 W / 2.0 Hp	2200 W / 3.0 Hp	2200 W / 3.0 Hp
Maximum Height	112 M	154 M	154 M
Capacity	80 L/min	80 L/min	80 L/min
Hose Connection	2"	1 - 1/2"	1 - 1/2"
Cable Length	1.5 M	1.5 M	1.5 M
Size	96x1172 MM	96x1440 MM	96x1440 MM
Net Weight	18 / 20 Kg	25 / 27,0 Kg	25 / 27,0 Kg
Pcs	1	1	1



Deep Well Pump

IP54

- » The body is made of chrome-plated steel. Resistant to corrosion and physical damage.
- » Distills solid particles up to 1.5 mm without harm to the mechanism. Slightly sandy water will not damage the pump.
- » Thermal protection prevents overload. The pump will automatically turn off if an emergency occurs.

**RDX886****RDX887****RDX888**

Power	1100 W / 1.5 Hp	1500 W / 2.0 Hp	2200 W / 3.0 Hp
Maximum Height	85 M	112 M	154 M
Capacity	80 L/min	80 L/min	80 L/min
Hose Connection	1 - 1/2"	1 - 1/2"	1 - 1/2"
Cable Length	1.5 M	1.5 M	1.5 M
Size	96x965 MM	96x1172 MM	96x1440 MM
Net Weight	16 / 17 Kg	18 / 20 Kg	25 / 27,0 Kg
Pcs	1	1	1





RDX863

Jet Pump with Pressure Tank

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	370W
Maximum Height	35 M
Maximum Suction	9 M
Pressure	1,5 - 3 BAR
Hose Connection	1"
Capacity	35 L/min
Net Weight	8,2 KG
Pcs	1

370 Watt 

COPPER WIRE

BRASS IMPELLER



RDX8634

Jet Pump with Pressure Tank

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	400W
Maximum Height	35 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	2 m³/H
Net Weight	8,4 KG
Pcs	1

400 Watt 

COPPER WIRE

BRASS IMPELLER



RDX8636

Jet Pump with Pressure Tank

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	600W
Maximum Height	45 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	2.8 m³/H
Net Weight	11,4 KG
Pcs	1

600 Watt 

COPPER WIRE

BRASS IMPELLER



RDX8638

Jet Pump with Pressure Tank

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	800W
Maximum Height	55 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	3 m³/H
Net Weight	12,6 KG
Pcs	1

800 Watt 

COPPER WIRE

BRASS IMPELLER





RDX847

Jet Pump with Pressure Tank

750 Watt 

- » 1.0 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 45M
- » Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.
- » Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	750 W / 1.0 HP
Maximum Height	45 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	55 L / Min.
Net Weight	19 KG
Pcs	1



RDX849

Jet Pump with Pressure Tank

1100 Watt 

- » 1.5 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 50M
- » Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.
- » Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	1100 W / 1.5 HP
Maximum Height	50 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	60 L / Min.
Net Weight	19 KG
Pcs	1



RDX8501

Jet Pump with Pressure Tank

1200 Watt 

- » 1.6 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 46M
- » Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.
- » Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	1200 W / 1.6 HP
Maximum Height	46 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	62 L / Min.
Net Weight	13,7 KG
Pcs	1



**RDX9619****2 in 1 Battery Sprayer (Cordless & Manual Type)****12 VOLT**  **8 AH****2 in 1**

Usable with
BATTERY
& MANUAL

4 DIFFERENT
NOZZLE OPTIONS

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	7,2 KG
Pcs	1

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:
 Short trees, greenhouses, plant protection, insecticides and environmental disinfection etc.

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.
- **2in1** Usable with **Battery** and Manual.



CHOICE OF PROFESSIONALS

RDX9617

Battery Sprayer

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:
Short trees, greenhouses, plant protection, insecticides and environmental disinfection etc.

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	5,25 KG
Pcs	1

12 VOLT  **8 AH**



4 DIFFERENT NOZZLE OPTIONS



RDX9618

Battery Sprayer

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:
Short trees, greenhouses, plant protection,
insecticides and environmental disinfection etc.

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	4,8 KG
Pcs	1

12 VOLT  **8 AH**



4 DIFFERENT NOZZLE OPTIONS





RDX9610

Gasoline Pump Sprayer

26 CC ⚡ **0,84 Hp**

Chemical tank strainer

Prevents damages that may happen while filling the chemical, by straining it to filtrate solid particles

Power	26 CC / 0.84 HP
Chemical Tank	25 L
Disinfection Distance (Horizontal)	Adjustable
Spray Rate	6 L/Min.
Fuel Tank Cap.	0,61 L
Net Weight	12,3 KG
Pcs	1



RDX9620

Gasoline Pump Sprayer

50CC ⚡ **2.89 Hp**



Power	50CC / 2.89HP
Chemical Tank	20 Lt
Disinfection Distance (Horizontal)	12 M
Spray Rate	14 M
Fuel Tank Cap.	0.61 ML
Net Weight	10.2 KG
Pcs	1



CHOICE OF PROFESSIONALS

RDX2502


Gasoline Chain Saw

58 CC  **3.0** Hp

45 Cm Professional Guide Bar Hardened With Induction System



Power	58 CC / 3,0 Hp
Cutting Length	450MM
Chain	72 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,67 KG
Pcs	4



RDX2503


Gasoline Chain Saw

58 CC  **3.8** Hp

50 Cm Professional Guide Bar Hardened With Induction System



Power	58 CC / 3,8 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,67 KG
Pcs	4



RDX2504


Gasoline Chain Saw

58 cc  **3.8** Hp

50 Cm Professional Guide Bar Hardened With Induction System



Power	58 CC / 3,8 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	6,40 KG
Pcs	4





RDX2510


Gasoline Chain Saw

62 CC ⚡ **3.8 Hp**

50 Cm Professional Guide Bar Hardened With Induction System.



Power	62 CC / 3,8 Hp
Cutting Length	500MM
Chain	32 Teeth
Fuel Tank	650 ML
Oil Tank	300 ML
Net Weight	7,37 KG
Pcs	4



RDX258

Gasoline Chain Saw

58 CC ⚡ **3.8 Hp**

50 Cm Professional Guide Bar Hardened With Induction System.



Power	58 CC / 3,8 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,37 KG
Pcs	4



RDX906

Electric Chain Saw

2400 Watt ⚡

Power	2400 W
Speed	15 M/S
Cutting Length	400MM
Chain	28,5 Teeth
Net Weight	6,0 KG
Pcs	2
Chain Lubrication System	Yes



RDX9055

Electric Chain Saw

2000 Watt ⚡

Power	2000 W
Speed	15 M/S
Cutting Length	400MM
Chain	28,5 Teeth
Net Weight	5,60 KG
Pcs	2
Chain Lubrication System	Yes



**RDX9648****Gasoline Lawn Mower****5,5 Hp** **173cc**

Power	173 CC / 5,5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM (5 Stages)
Drive Type	Self Propelled / Hand Push
Collection Bag	55 Lt
Fuel Tank	1200 ML
Oil Capacity	600 ML
Net Weight	36,6 KG
Pcs	1

RDX9645**Gasoline Lawn Mower****5,5 Hp** **163cc**

Power	163 CC/5,5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM
Drive Type	Hand Push
Collection Bag	55 Lt
Fuel Tank	1200 ML
Oil Capacity	600 ML
Net Weight	34,2 KG
Pcs	1

RDX9640**Gasoline Lawn Mower****4,0 Hp** **139cc**

Power	139 CC/4,0Hp
Blade Size	460 MM
Cutting Height	25 - 76 MM (5 Stage)
Drive Type	Hand Push
Collection Bag	55 LT
Fuel Tank	1200 ML
Oil Capacity	600 ML
Net Weight	30,8 KG
Pcs	1

RDX9650**Gasoline Lawn Mower****6,5 Hp** **161cc**

Power	B&S Motor 750EX 161 CC / 6.5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM
Drive Type	Self Propelled / Hand Push
Collection Bag	55 Lt
Fuel Tank	1000 ML
Oil Capacity	600 ML
Net Weight	38 KG
Pcs	1

**RDX938****Electric Lawn Mower****1600 Watt**

28-38 MM
Cutting Height
5 Stages



Power	1600 W
Blade Size	380 MM
Cutting Height	28 - 68 MM
Collection Bag	50 Lt
Net Weight	19,5 KG
Pcs	1

RDX934**Electric Lawn Mower****1000 Watt**

30-64 MM
Cutting Height
3 Stages



Power	1000 W
Blade Size	340 MM
Cutting Height	30-64 MM
Collection Bag	30 Lt
Net Weight	19,5 KG
Pcs	1

RDX932**Electric Lawn Mower****1000 Watt**

25-55 MM
Cutting Height
3 Stages



Power	1000 W
Blade Size	320 MM
Cutting Height	25-55 MM
Collection Bag	35 Lt
Net Weight	16,4 KG
Pcs	1





CHOICE OF PROFESSIONALS

RDX9625

Gasoline Hedge Trimmer


1,2 Hp 25,4 CC

Power	25,4 CC / 1,2 HP
Blade Width	600 MM
Cutting Capacity	Ø 28 MM
Fuel Tank	600 ML
Engine Oil	20/50 SAE30
Net Weight	8,50 KG
Pcs	1

Double Blade Technology
Specifically designed to achieve the best results on cutting and trimming chores

Secondary hand-arm
Lets you do your job effortlessly with its ergonomic handle design and perfect balance.

25.4 CC / 1.2 HP Powerful Engine Lets you work easily on long-running chores with its doubled time power engine.



RDX9255

Electric Hedge Trimmer

600 Watt

Power	600 W
Blade Width	500 MM
Cutting Capacity	Ø 16 MM
Speed	1650 RPM
Net Weight	4 KG
Pcs	2


Mandatory switch setting provides maximum safety.

500 MM cutting blades
Laser cut blades for clean and precise trimming.

16mm thick branches cut capacity

Easy use with 5 kg ultra light compact structure

600 Watt motor
tackle tough trimming tasks



RDX2627

Cordless Pruner

4.0 Volt

High-quality bypass blades for efficient cutting work

Blade replacement can be done easily and effortlessly.

Practical use thanks to the soft-grip ergonomic handle

Supports plant growth thanks to clean and smooth cutting

Safe use of scissors thanks to the safety key

LITHIUM-ION TECHNOLOGY

4V 2.0Ah
Battery

Power	4V 2.0Ah
Cutting Capacity	Ø 12 MM
Speed	60 Cut/min.
Net Weight	0,8 Kg
Pcs	15

The cordless pruning shears are the ideal aid for vineyard, garden and home greenery maintenance, as well as for gardening work where more than a few branches need to be cut, and are a convenient alternative to electric pruning saws or pruning shears.



RDX9021

Cordless Trimmer

21V

LI-ION BATTERY TECHNOLOGY

Battery	21 V / 1.5A Li-ion
Cutting Diameter	150 mm
Line Diameter	1.6 mm
Speed	10000 RPM
Net Weight	2.5 Kg
Pcs	6

1X 21V 1.5A BATTERY & CHARGER SET


150MM
Cutting Diameter

Telescopic Handle,
The extension arm allows the user to adjust the lawn edger to his height.

Strong Metal Body

Adjustable Second Handle
helps maintain weight balance by adjusting the handle according to the grip distance. Provides additional comfort while working.



Cordless Grass Edge Trimmer works with the latest technology **LITHIUM-ION** battery, therefore it does not emit harmful emissions and offers maximum freedom to its users.

It is extremely environmentally friendly compared to electric and gasoline products.

Rechargeable
21 V / 1.5A
Li-ion Battery



ACCESSORIES



RDX9022

Cordless Trimmer

21V

LI-ION BATTERY TECHNOLOGY

Battery	21 V / 1.5A Li-ion
Cutting Diameter	150 mm
Line Diameter	1.6 mm
Speed	10000 RPM
Net Weight	2.5 Kg
Pcs	6

2X 21V 1.5A BATTERY & CHARGER SET


150MM
Cutting Diameter

Telescopic Handle,
The extension arm allows the user to adjust the lawn edger to his height.

Strong Metal Body

Adjustable Second Handle
helps maintain weight balance by adjusting the handle according to the grip distance. Provides additional comfort while working.



Cordless Grass Edge Trimmer works with the latest technology **LITHIUM-ION** battery, therefore it does not emit harmful emissions and offers maximum freedom to its users.

It is extremely environmentally friendly compared to electric and gasoline products.

Rechargeable
2x 21 V / 1.5A
Li-ion Battery



ACCESSORIES





CHOICE OF PROFESSIONALS

RDX915

Electric Grass Trimmer

450 W ⚡

Power	450 W
Cutting Diameter	350 MM
Line Diameter	1,6 MM
Speed	8500 RPM
Net Weight	2,77 KG

Pcs 4

Adjustable second handle, helps to keep the weight balance by being adjusted according to arm holding distance.

Ergonomic Design

Extendable Arm

Strong Metal Body

450 Watt Power Engine.

Side wheel Keeps the trimmer line distance and works as a leading string

350MM Cutting Diameter



RDX912

Electric Grass Trimmer

300 W ⚡

Power	300 W
Cutting Diameter	250 MM
Line Diameter	1,2 MM
Speed	12000 RPM
Net Weight	1,5 KG

Pcs 15

Ultra Light Weight

1.5 kg ultra light product will not tire your arms on long-lasting operations

Ergonomic Design

Superior usage thanks to its light-bodied engine and superior tool balance.

250 mm cutting diameter.

300 Watt Power Engine

12.000 RPM enables faster and cleaner lawn mowing.



RDX9635

Gasoline Grass Trimmer

52 CC ⚡ **2,0 Hp**




2 Stroke Power Engine
2,0 HP high torque engine works with maximum performance while trimming grass, branch, turf etc.



Long lasting air filter system
It increases the lifetime of the engine remarkably.

Double Hanging



Easy On Technology,
Easy Operation

Everything is within reach
Fits perfectly in user's hands because of its ergonomic structure.
Automatic shut down when the trigger is released. Practical because of its trigger lock system on longlasting works. The engine could easily be stopped with the on-off button on the handle whenever required

Adjustable Handlebars
Bicycle type handlebar used with hanger provides easier and more controlled trimming on wide areas.
User work more efficiently by avoiding the exhaustion



Solid Extension Arm
Reinforced extension bar provides maximum protection against impacts



Strap Backpack
When the machine used with hanger, it provides easier and more controlled cutting on wide areas.
User work more efficiently by avoiding the exhaustion.

Protective shield
Produced by unbreakable hard PVC prevents possible accidents and cuts off trimmer line left automatically.



Power 52 CC / 2,0 HP

Cutting Diameter 255 M

Usage Shoulder Type

Shaft Type Flat / 28 MM

Handle Bicycle Type

Fuel Tank 1,2 L

Net Weight 7,86 KG

Pcs 1



CHOICE OF PROFESSIONALS

RDX9635G

Gasoline Grass Trimmer

52 CC  2,0 Hp



Everything is within reach
Fits perfectly in user's hands
because of its ergonomic structure.
Automatic shut down when the trigger
is released. Practical because of its
trigger lock system on longlasting
works. The engine could easily be
stopped with the on-off button on the
handle whenever required



Strap Backpack
When the machine used with
hanger, it provides easier
and more controlled
cutting on wide areas.
User work more efficiently
by avoiding the exhaustion.

Power	52 CC / 2,0 HP
Cutting Diameter	255 M
Usage	Shoulder Type
Shaft Type	Flat / 28 MM
Handle	Bicycle Type
Fuel Tank	1,2 L
Net Weight	7,86 KG
Pcs	1



RDX9638

Gasoline Grass Trimmer

33 CC 4.3 Hp



Everything is within reach
Fits perfectly in user's hands
because of its ergonomic structure.
Automatic shut down when the trigger
is released. Practical because of its
trigger lock system on longlasting works. The
engine could easily be stopped with the on-off
button on the handle whenever required

4 Stroke Power Engine
4,3 HP high torque engine works with
maximum performance while
trimming grass, branch, turf etc.

Easy On Technology,
Easy Operation

Long lasting air filter system
It increases the lifetime
of the engine remarkably.

Adjustable Handlebars
Bicycle type handlebar used with hanger pro-
vides easier and more controlled trimming on
wide areas. User work more efficiently
by avoiding the exhaustion



Solid Extension Arm
Reinforced extension bar
provides maximum protection
against impacts



Strap Backpack
When the machine used with
hanger, it provides easier
and more controlled
cutting on wide areas.
User work more efficiently by
avoiding the exhaustion.



Strap Backpack
Trimmer Reels
Diamond Saw Gift



Protective shield
Produced by unbreakable
hard PVC prevents possible
accidents and cuts off trimmer
line left automatically.

Power	33 CC / 4,3 Hp
Cutting Diameter	440 / 255 mm
Shaft Type	Flat / 28 MM
Handle	Bicycle Type
Fuel Tank	0.8 L
Net Weight	9,2 Kg
Pcs	1




CHOICE OF PROFESSIONALS

RDX9636

Gasoline Grass Trimmer

52CC  1,9 Hp



Power	52 CC / 1,9 HP
Cutting Diameter	255 M
Usage	Backpack Type
Shaft Type	Flat / 26 MM
Handle	Pilot Type
Fuel Tank	1,2 L
Net Weight	11,6 KG
Pcs	1



RDX9637

Gasoline Grass Trimmer

41.5CC 2.0 Hp



Ergonomic Backpack Type

Ergonomic structure by its backpack-like design. Sits perfectly on the back of the user and does not tire user with hanger and belt system, you can carry your tools in its pack pockets

2 Stroke Power Engine

2 HP high torque engine works with maximum performance while trimming grass, branch, turf etc.

Solid Extension Arm

Reinforced extension bar provides maximum protection against impacts

Protective shield

Produced by unbreakable hard PVC prevents possible accidents and cuts off trimmer line left automatically.


Diamond Saw Gift



Trimmer Blade

Spiral Steel Shaft

Special rubber-coated steel shaft, high temperature resistant, has high flexibility.



Easy On Technology,
Easy Operation

Full control in one hand

Fits perfectly in user's hands because of its ergonomic structure. Automatic shut down when the trigger is released. Practical because of its trigger lock system on longlasting works. The engine could easily be stopped with the on-off button on the handle whenever required

Adjustable Handlebars

Ergonomic handle provides a comfortable grip and always safe.

Power	41.5 CC / 2.0 HP
-------	------------------

Cutting Diameter	440 / 255 mm
Usage	Backpack Type
Shaft Type	Flat / 26 MM
Handle	Pilot Type
Fuel Tank	0.75 L
Net Weight	7.5 KG
Pcs	1

Automatic cutting line head provides trimmer line get long again when hit the ground





CHOICE OF PROFESSIONALS

RDX923

Sheep Clipper

500 Watt

Offers the opportunity to work-tirelessly with balanced weight distribution

More fleece wool can be obtained by slim cut feature.
80 mm blade provides faster cutting



Enables easy cut with its strengthened blades. No pulling or tattering. Blade frame and protective part minimize the sheepskin injuries.




RODEX Professional electrical sheep clipper provides perfect and fast cut with its 500 watt cutting power. Provides easy working environment with its long cable.

Power	500 W
Blade	80 MM
Speed	0-2400 RPM
Net Weight	3,4 KG
Pcs	5



For more information about
products can visit our website.



www.rodexpower.com

NOTES

NOTES

NOTES



www.rodexpower.com

○ f □ RODEXTOOLS

RODEX

AKDEMİR
GLOBAL



AKDEMİR GLOBAL DIŞ TİCARET A.Ş.

★ Mahmudbey Mah. İstoç Ticaret Merkezi 2416. Sok.
AKTEM PLAZA Kat 12-13 Bağcılar - İSTANBUL / TÜRKİYE

0212 771 04 66 0212 659 09 41

akdemirglobal.com Info@akdemirglobal.com

akdemirglobal